

Agricultural Research Institute, Pusa

LIST OF PUBLICATIONS ON INDIAN
ENTOMOLOGY, 1926

AN UNIVERS RARY
(Compiled by the Offg. Imp. Entomologist and
Enl 30.2a N. rial
release



CALCUTTA · GOVERNMENT OF INDIA
CENTRAL PUBLICATION BRANCH
1927

Government of India Publications are obtainable from the Government of India Central Publication Branch, 3, Government Place, West, Calcutta, and from the following Agents :—.

EUROPE.

OFFICE OF THE HIGH COMMISSIONER FOR INDIA,

42, GROSVENOR GARDENS, LONDON, S.W. 1.

And at all Booksellers.

INDIA AND CEYLON.

Provincial Book Depots :

MADRAS—Office of the Superintendent, Government Press, Mount Road, Madras.
BOMBAY—Superintendent, Government Book Depot, Town Hall, Bombay.
SRINAGAR—Library attached to the Office of the Commissioner in India, Kashmir.
BANARAS—Office of the Bengal Secretariat Book Depot, Wailers' Buildings, Room No 1, Ground Floor, Calcutta.
UNITED PROVINCES OF AWAH AND OUDH—Office of the Superintendent of Government Press, United Provinces of Awa and Oudh, Allahabad.
PUNJAB—Office of the Superintendent, Government Printing, Punjab, Lahore.
BURMA—Office of the Superintendent, Government Printing, Burma, Rangoon.
CENTRAL PROVINCES AND BIKANER—Office of the Central Provinces Secretariat, Nagpur.
ASSAM—Office of the Superintendent, Assam Secretariat Press, Shillong.
BIHAR AND ORISSA—Office of the Superintendent, Government Printing, Bihar and Orissa, P. O. Gutzkardt, Patna.
COORG—Office of the Chief Commissioner of Coorg, Bangalore.
NORTH-WEST FRONTIER PROVINCE—Office of the Manager, Government Printing and Stationery, Peshawar.

Thacker, Spink & Co, Calcutta and Shola
W. Newman & Co., Ltd., Calcutta.
R. Dumbry & Co., Calcutta.
S. K. Lahiri & Co., Calcutta.
The Indian School Supply Depot, 30B, Bow Bazar Street, Calcutta and 22B, New Market, Dacca.
Butterworth & Co (India), Ltd., Calcutta.
Rai M. C. Sircar Bahadur & Sons, 90 2A, Harrison Road, Calcutta.
The Welton Library, 17, Park Street, Calcutta.
Standard Literature Company, Limited, Calcutta.
Associations Press, Calcutta.
Chaukervilly, Chatterjee & Co., Ltd., 13, College Square, Calcutta.
The Book Company, Calcutta.
James Murray & Co, 12, Government Place, Calcutta (for Meteorological Publications only.)
Raj Chaudhury & Co, 68-5, Anand Mohan Road, Calcutta.
The Oriental Publishing House, 31, Green Hill Street, Calcutta.
H. C. Basak, Esq., Proprietor, Albert Library, Dacca.
M. S. Mahapatra & Co, Madras.
V. S. Ramaswami Iyer & Co, Madras.
J. B. Ramaswami Iyer & Co, Madras.
Bochum and Sons, Madras.
G. A. Nateson & Co, Publishers, George Town, Madras.
The Modern Stores, Salem, Madras.
Theological Publishing House, A. J. A. Madras.
Bright & Co, Trincomalee.
The Bookmen's Resort, Tashad, Trivandrum, South India.
V. S. Swaminathan, Bookseller, West Tower Street, Madras.
B. M. Gopalakrishna Kuro, Podu andapam Madras.
Vijapur & Co., Vizagapatnam.
Thacker & Co, Ltd., Bombay.
D. B. Isaraperville Sons & Co, Bombay.
Sunder Pandurang, Bombay.
Ram Chaudhri Govind & Sons, Kalbadevi Road, Bombay.
N. M. Tripathi & Co, Booksellers, Pricess Street, Kalbadevi Road, Bombay.
Proprietor, New Kitabkhana, Poona.
The Manager, Oriental Book Supplying Agency, 15, Shukrawar, Poona City.
B. S. Gondhalekar's Book Depot, Publisher and Bookseller, Budhwar Chawk, Poona City.
Managing Director, Co-operative Bookstall, Booksellers and Publishers, Poona City.
B. M. Krishna Bros., Opposite Bhatnagar, Poona City.
Kandaswaras and Sons, Opposite Bhatnagar, Poona City.
Mangaldas & Sons, Booksellers and Publishers, Bha, Talan, Surat.
Mrs Radhabhai Atmaram Sagoon Kalbadevi Road, Bombay.

A. H. Wheeler & Co, Allahabad, Calcutta and Bombay.
It. B. Umarikar & Co, The Bharat Book Depot, Dhruvar.
The Standard Bookstall, Karachi, Quetta, Delhi, Murree and Rawalpindi.
The Karachi Book Depot, Cliphinstone Street, Camp, Karachi.
The Standard Bookstall, Quetta.
H. P. Malhotra & Co, Quetta.
J. R. y & Sons, 47, K. & L, Edwardes Road, Bonolpindi, Murree.
The Standard Book Depot, Lahore, Lucknow, Natalal, Xuxoorie, Dilkouche, Ambala (Anit. and Delhi).
N. B. Mathur, Supdt., No. 2 Kanoo Hled Press, Allahabad.
The North India Christian Tract and Book Society, 18, Cillo Road, Allahabad.
Ham Dival Agarwala, 181, Katra, Allahabad.
Manager, Newal Kishore Press, Lucknow.
The Upper India Publishing House, 41, 41, Ambulad Park, Lucknow.
Mushl Sooto Kuro, Managing Proprietor, Indian Army Book Depot, Jull, Company.
Bai Sahib M. Gulab Singh & Sons, Mufid-i-Am Press, Lahore and Allahabad.
Rama Krishna & Sons, Booksellers, Amarkoll, Lahore.
Puri Brothers, Booksellers and Publishers, Katchert Road, Lahore.
The Hindu School Bookshop, Lahore.
The Standard Bookstall, Lahore.
Manager of the Imperial Book Depot, 63, Chandi Chawk Street, Delhi.
Oxford Book and Stationery Company, Delhi.
Supdt., American Baptist Mission Press, Rangoon.
Proprietor, Rangoon Times Press, Rangoon.
The Modern Publishing House, Ltd, 30, Phayre Street, Rangoon.
The International Buddhist Book Depot, Post Box No. 971, Rangoon.
Burma Book Club, Ltd., Rangoon.
Manager, The "Hittovada," Nagpur.
Hibsey Brothers, Booksellers and Stationers, Sitabkhil, Nagpur.
S. C. Talukdar, Proprietor, Students & Co, Cooch Behar.
Times of Ceylon Co, Ltd, Colombo.
The Manager, Ceylon Observer, Colombo.
The Manager, The Indian Book Shop, Madras City.
The Self-illuminating Co-operative Trading Union, Ltd., Self-illuminating (Satin, B. I. B.).
Banwar Lal, Esq., Fakarba Street, Phibhit United Provinces.
Manager, Panchanath Book Depot, Jubbulpore.
Raghunath Prasad & Sons, Patna City.
Dandekar Brothers, Indore City.
The Hyderabad Book Depot, Chaderghat, Hyderabad.

List of Publications on Indian Entomology, 1926.

(Received for publication on 9th April 1927)

A

Abbott, C. E.—Methods of Orientation in Dragonfly Larvæ. (*Psyche* XXXIII 124-126; Oct. 1926.)

Abbott, W. S.—Determining the effectiveness of dormant treatments against the San José Scale. (*Jl. Ec. Ent.* XIX 858-860; Dec. 1926.)

Abney, L.—The Occipital Suture and its relation to a protocular Sclerite. (*Ann. Ent. Soc. America* XIX 286-289, t. 23; Sept. 1926.)

Adkin, R.—Melanism in Lepidoptera. (*Proc. South Lond. Ent. Nat. His. Soc.*, 1925-26, 7-21; 1926.) [Theories and examples.]

Adler, S., and Theodor, O.—

The Mouth Parts, Alimentary Tract, and Salivary Apparatus of the Female in *Phlebotomus papatasi*. (*Ann. Trop. Med. and Parasit.*, XX, 3 t.f., tt. viii-xiv: Feb. 1926.)

Further Observations on the Transmission of Cutaneous Leishmaniasis to Man from *Phlebotomus papatasi*. (*Ann. Trop. Med. and Parasit.*, XX, 175-194, tt. xvi-xvii: June 1926.)

Afzal Husain, M. and Abdullah Shah, S.—The Red Pumpkin Beetle, *Aulacophora abdominalis*, Fb. and its control; with a short note on *A. atripennis*, Fb. (*Ind. Agric. Dept. Ent. Mem.* IX, 31-57; Feb. 1926.)

Afzal Husain, M.—Report of the Imperial Entomologist for year ended 30 June 1926. (*Sci. Repts. Pusa Inst.*, pp. 70-82: 1926.)

Aldrich, J. M.—

On the Status of the generic name *Anthrax*, Scopoli (*Insc. Inscit. Menstr.* XIV 12-14; Mar. 1926.) [*Anthrax*, Scop. 1763, genotype *anthrax*, Schrank 1781 (= *morio*, Scop. 1763, ncc Linn 1758)]

Aldrich, J. M.—*contd.*

is prior name of *Argyromaba*, Schiner 1860, as previously pointed out by Bezzi.]

What is *Oestrus nasalis*, Linnaeus? (*Insec. Inscit. Menstr.* XIV 15-16; Mar. 1926.)

A new genus of Helcomyzidæ from Chile, with key to genera. (*Insec. Inscit. Menstr.* XIV 96-102; May 1926.) [Key to genera of Helcomyzidæ, with genotypes, pp. 99-102.]

Descriptions of new and little-known Diptera. (*Proc. U. S. Nat. Mus.* LXIX, Art. 22, No. 2648: 1926.) [Trypetidæ: *Pelmatops ichneumonæa*, Westw., pp. 3-5, redescr., Chengtu (Szechuen). Anthomyiadæ: *Mesembrina tristis*, n. sp., p. 7, Songpan (12000-18000 ft.), Tatsienlu (13000-14500 ft.). Sarcophagidæ: *Wohlfahrtia atra*, n. sp., pp. 10-11, Songpan (Szechuen). Tachinidæ: *Peteina hypodiscalis*, n. sp., pp. 19-20, Tatsienlu; *Simoma*, n. g., pp. 20-21, type *grahami*, n. sp., pp. 21-22, Suifu; *Eucomus*, n. g., p. 22, type *strictus*, n. sp., pp. 22-23, Songpan.]

Alexander, W. B.—Natural Enemies of Prickly Pear and their Introduction into Australia. (*Austral. Commonw. Inst. Sci. Ind.* Bull. 29; pp. 80, tabs. 13; Melbourne, 1925.)

Alfaro, J.—A new Method of Fighting the Propagation of Mosaic Disease in sugar Cane. (*Proc. Agric. Soc. Trinidad and Tobago*, XXV, 437-439; 1925.)

Alfken, J. D.—Ueber einige Bienen aus Mesopotamien und Ostindien (Hym.) (*Ent. Mitteil.*, XV, 315-320; July 1926.)

Alwis, E. de.—The small Tussock Moth (*Notolophus posticus*, Wek.), a pest on Dadap (*Erythrina lithosperma*, Bl.) (*Ceylon Dept. Agric. Yearbook* 1926, pp. 19-21, t. 10; 1926.)

Andrews, H. E.—

On a Collection of Carabidæ from the Kumaon-Tibetan Frontier. (*Ent. Month. Mag.*, LXII, 65-80, map; Mar. 1926.)

[*Notiophilus radians*, n. sp., Gori Valley, 7,000 ft., p. 70; *Carabus vagaw*, Fairm., redesc., Matoli, Girthi Valley, 14,500 ft., p. 71; *Coryza semirubra*, n. sp., Sarju Valley, 5,000 ft., also known from Ranikhet, Almora, and other places, p. 71-72; *Bembidium persephone*, n. sp., Shelshel, 15,750 ft., p. 72-73; *Bembidium eurydice*, n. sp., Gori River Gorge, 5-9,000 ft., p. 73-74; *Bem-*

Andrews, H. E.—contd.

bidium charon, n. sp., Gori River Gorge, 5-9,000 ft., Burphu (Gori Valley), 11,500 ft., p. 74; *Trichotichnus liparus*, n. sp., Gori River Gorge, 5-9,000 ft., also from West Almora division, Nainital division, 7-8,600 ft., and Sunderdhunga Valley, 8-12,000 ft., p. 74-75; *Amara* (*Niphobles*) *splendens*, n. sp., Gori Valley: Milam and Burphu, 11,500 ft.: Girthi Valley, 14,000; Shelshei, 15,750 ft., also from Yangti Valley, 14,400 ft., p. 75-76; *Amara* (*Cumecres*) *thalia*, n. sp., Supi River, Tibet, 15,000 ft., Milam. Gori Valley, 11,500 ft., p. 76; *Pterostichus* (*Steropus*) *championi*, n. sp., Gori Valley, 7,000 ft., also from Sunderdhunga Valley, Pindar Valley and Garhwal, Painsur, above Lobha, p. 76-77; *Calathus atrema*, n. sp., Gori River Gorge, 5-9,000 ft.; Gori Valley: Burphu, 11,500 ft.; Pindar Valley, 8-11,000 ft.; Sunderdhunga Valley, 8-12,000 ft., p. 77-78; *Anchomenus viridicans*, n. sp., Gori Valley, 7,000 ft., p. 78-79; *Cymindis alticola*, n. sp. Laptol, 15,000 ft.; Shelshei, 15,750 ft.; Tibet, Supi River, 15,000, p. 79.]

Papers on Oriental Carabidae. XVI. (*Ann. Mag. Nat. Hist.* (9th s.), XVII, 252-259; Feb. 1926.) [*Calathomimus vittatus*, n. sp., Ceylon: Woodside, Urugalla, p. 254-255; *Colpodes schosus*, n. sp., Ceylon: Pidurutalagalla, p. 257-258.]

Papers on Oriental Carabidae. XVII. (*Ann. Mag. Nat. Hist.* (9th s.), XVII, 371-381; April 1926) [General discussion about some genera and spp. *Dyschirius singhalensis*, n. sp., Kandy, p. 380.

Papers on Oriental Carabidae. XVIII. (*Ann. Mag. Nat. Hist.* (9th s.), XVIII, 273-290; Sept. 1926). [*Trichotichnus javanus*, n. sp., Malabar (?), Java, Burn, p. 278; *Lachnoderma tricolor*, n. sp., Pasa, Singapore, p. 289-290.]

[Anonymous]

Reports of the External Parasites in Sheep. Committee of the Departmental Research Council.

No. 1. Tests of certain Swabbing Dressing for Prevention and Treatment of Sheep Blow-fly Attacks. (*Agric. Gaz. N.S.W.* XXXVII, 37-44; Jan. 1926.)

Anstead, R. D.—Report on the Operations of the Department of Agriculture, Madras Presidency, for the year 1925-26. (Madras Govt. Press: 1926; pp. 79+4) [Entomology, pp. 33-34; Application of the Pest Act to Cambodia Cotton, pp. 40-42, and to the Coconut Caterpillar, pp. 43-44; *Spodoptera* [*mauritia*], p. 44;

Anstead, R. D.—*contd*

Entomological Publications. pp. 69-70; programme of work p. 77.]

Arthur, J. M. and Harrison, T. H.—Calcium Cyanide Dust for Fumigation of Citrus. Experiments to determine Dosage. (*Agric. Gaz. N. S. W.*, XXXVII, 245-248; Mar. 1926.)

Atkinson, D. J.—Some Types of Teak Defoliation. (*Ind. Forester*, LII, 141-145, 2 tt., April 1926.)

Aurivillius, C.—Nene oder wenig bekannte Coleoptera Longicornia. (*Archiv f. Zoologi* XVIII, Hefte 2, No. 9, pp. 1-22, figs. .; June 1926.) [Lamiadæ: *Hippocephala lineolata*, n. sp., p. 12, Khandkhiya (Sylhet); *Stibara apicalis*, n. sp., p. 21. Momeit (Burma).]

Austen, E. E.—On the genus *Crataerina*, Olf., and its allies (Diptera Pupipara—Family Hippoboscidae), with descriptions of new species. (*Parasitology* XVIII 350-360, fig., tab. 16; Sept. 1926.) [Key to genera, p. 350: *Stenopteryx*, Leach, p. 351, remarks; *S. hirundinis*, Linn., p. 351. Europe, Thandiani; *Crataerina*, Olf., pp. 351-353, remarks, key to spp.: *C. obtusipennis*, n. sp., pp. 356-357, Mongolia, Malacca; *C. longipennis*, n. sp., p. 357, Gokteik. (N. Shan States); *Myophthiria*, Rond, pp. 359-360, remarks; *M.* sp., p. 360, Pundaluoya.]

B .

Back, E. A., and Cotton, R. T.—Biology of the Saw-toothed Grain Beetle, *Oryzaephilus surinamensis*, Linn. (*Jl. Agric. Res.* XXXIII 435-452, ff. 1-4; Sept. 1926.)

Bagnall, R. S.—

Brief Descriptions of new Thysanoptera. XV. (*Ann. Mag. Nat. Hist.*, (9th s.), XVIII, 98-114; July 1926.) [*Brachyurothrips indicus*, n. sp., Calcutta, p. 98-99; *Physothrips immisi*, n. sp., near Bhowali (Kumaon), p. 106-107; *Thrips immisi*, n. sp., Dehra Dun, near Bhowali (Kumaon), p. 110; *Thrips melanurus*, n. sp., Darjiling, p. 11-112;]

Bagnall, R. S.—contd.

Brief Descriptions of new Thysanoptera. XVI. (*Ann. Mag. Nat. Hist.* (9) XVIII 545-560; Novem. 1926.) [*Haplothrips gowdeyi*, Franklin, p. 548, Fiji, Brazil. *Almora*, Calcutta. *soror*, Schm., and *mahensis*, Bagn., are Synou.; *Trichaplothrips brevicaps*, n.sp., p. 550, Peradeniya, carnivorous on *Archipsocus*; *Liotrips nigricornis*, Bagnall, p. 552. Papua, Seychelles, and apparently also this sp. from Ceylon: *Bactridothrips*. Karny, pp. 557-558. Key to spp. .]

Baillon, P. Cappe de.—Variation et Parthénogenèse. Note Sur la Biologie de quelques Phasmides. (*Bull. Biol. Fr. Belg.* LX 474-482, 2 Figs.; Dec. 1926) [*Carausius morosus*.]

Ballou, H. A.—The Coffee Berry Borer. (*Planter's Chron.*, XXI, 187-189; Mar. 1926.) [From 'Tropical Agriculture.']

Barber, G. W.—Some Factors Responsible for the Decrease of the European Corn Borer in New England during 1923 and 1924 (*Ecology*, VII, 143-162; April 1926.)

Barraud, P. J.—Report upon a Sandfly Survey of Madras Town. (*Ind. Med. Res. Memoirs*, No. 4, 207-218, maps; Feb. 1926.)

Basil-Edwards, S.—On the occurrence of the Giant Water-Bug (*Belostomatidae indicum*) in Simla. (*Jl. Bombay N. H. Soc.*, XXXI, 229; May 1926.)

Bedowski, R., and Krainiska, M. K.—Die Entwicklung von *Bauclhus femoralis* Thoms. (Hymn., Ichneumonidae). (*Bibliotheca Universitatis Libere Polonae*, Fasc. XVI, 1-50, tt. i-VIII; 1926.) [detailed study of embryology etc.]

Beeson, C. F. C.—On Some Indian Cleridæ (Coleoptera) Pt. II. Notes on the Biology of the Cleridæ. (*Ind. For. Rec.* XII, 217-231; 1926.)

Bell, T. R.—

The common Butterflies of the Plains of India. Part XXXVI. (*Bombay N. H. S. Jl.* XXXI 323-351; Aug. 1926.)

The common Butterflies of the Plains of India. Part XXXVII. (*Bombay N. H. Soc. Jl.* XXXI 655-686; Dec. 1926.)

Benick, L.—Neue Megalopsidiinen und Steninen, vorwiegend aus dem Zoologischen Museum in Hamburg. (Col.) (*Ent. Mitteil.*, XV, 262-279; July 1926.) [*Stenus languor* n. sp., Chakrata Distr., Kanasar 7030 ft. p. 275-276; *Stenus callifrons*, n. sp., Kaligad, Dehra Dun. p. 276-277; *Stenus grandiculus*, n. sp., Burma, p. 277-278.]

Berland, L.—

Les Sphegidæ (Hyménoptères) du Muséum National de Paris. 3e Note. (*Bull. Mus. Nat. d' Hist. Nat. Paris* 1926, pp. 282-285; 1926) [*Sphex* (*Isodontia*) *abditus*, Kohl, p. 283, Sikkim.]

Les Sphegidæ (Hyménoptères) du Muséum National de Paris. (2c Note) (*Bull. Mus. Nat. d' Hist. Nat. Paris* 1926, pp. 200-206; June 1926). [*Sphex* (*Haripactopus*) *egyptius*, Lepel., p. 200, Africa. Arabia, Bengal, Karachi.]

Bernhauer, M.—

Zur indo-malayischen Staphylinidenfauna [Col.] (*Ent. Mitteil.* v, 122-136; March 1926.) [*Stenus kempi*, n. sp., Jannakmukh, p. 131-132.]

Neue Staphyliniden aus Ostindien. (*Wien. Ent. Zeit.*, XLIII. 19-25; June 1926). [*Eleusis nova*, n. sp., North-east India: Kobo, p. 19; *Priochirus* (*Stigmatochirus*) *aboi*, n. sp., North-east India: Kobo; Upper Renging, 2,150 ft., p. 19; *Lispinus kempi*, n. sp., North-east India: Rotung, 1,400 ft., *Lispinus amherstianus*, n. sp., Lower Burma: Kawkaeik (Amherst Distr.), p. 20-21; *Ancypophorus* (*Misancyrus*) *championi*, n. sp., West Almora: Kumaon (Ranikhet), p. 21; *Trogophlax* (*Carpalimus*) *gravelyi*, n. sp., Brit-India: Bank of Dihong below Pasighat, p. 21; *Trogophlax* (*Carpalimus*) *vulneratus*, n. sp., West-Almora: Kumaon, p. 22; *Oxytelus cavicola*, n. sp., Burma: near Moulmein, in a dark cave, p. 22-23; *Oxytelus indicus*, n. sp., Kumaon (Haldwani Dist.); Sarda (Bengal), p. 23; *Bledius championi*, n. sp., Kumaon, p. 23-24; *Osorius callifrons*, n. sp., Brit-India: Rotung, 1400 p. 24; *Osorius kempi*, n. sp., East India: Upper Renging, 2150 ft., p. 24; *Osorius parvopennis*, n. sp., East-India: Kobo, 400 ft., p. 25; *Dianous purpureo-maculatus*, n. sp., East-India: Kobo, p. 25].

Bernhauer, M., and Scheerpeltz, O.—Junk's Coleopterorum Catalogus, Part 82. Staphylinidæ VI. pp. 497-988: Berlin 4, May 1926,

- Bezzi, M.**—New species of *Rhabdochæta* (Diptera, Trypanecidæ). (*Sporilia Zeylanica*, XIII, 309-314, t. xvii; March 1926.) [Key to Oriental spp. p. 309-310; *Rhabdochæta seniorwhitei*, n. sp., *Matale*, p. 313-314, fig. 3].
- Bird, R. D.**—The external anatomy of the adult of *Hoplocamptus halcyon*, Nort. (Hymenoptera, Tenthredinoidea). (*Ann. Ent. Soc. America* XIX 268-279, tt. 20-21; Sept. 1926.)
- Blair, K. G.**—On the Luminosity of *Pyrophorus* (Coleoptera). (*Ent. Month. Mag.*, LXII, 11-15; Jan. 1926.)
- Blake E. G.**—The Protection of Buildings against Vermin, with a comprehensive Description of the most effective Methods that can be adopted for the Extermination of Rats, Mice and various Insects. (85 pp. ; Crosby Lockwood & Son; London, 1926.)
- Blocklock, D. B.**—The Development of *Onchocera volvulus* in *Simulium damnosum*. (*Ann. Trop. Med. & Parasit.*, XX, 1-48, 9 t.f., tt. -IV; Feb. 1926.)
- Blöte, H. C.**—Overzicht der Nederlandsche Psylliden-soorten. (*Tijd. v. Ent.*, LXIX, 57-84; April 1926.) [Keys to sub-fams., gen., spp.].
- Blüthgen, P.**—Beiträge zur Kenntnis der indo-malayischen *Halictus*- und *Thrinchostoma*-Arten. (Hym. Apidæ. Halictini.) (*Zool. Jahr.*, LI, 375-698, figs. ; 1926.) [Many n. spp. from India and many redescribed.]
- Bodenheimer, F. S.**—Über die Voraussage der Generationenzahl von Insekten. III. Die Bedeutung des Klimas für die landwirtschaftliche Entomologie. (*Zeit. angew. Ent.* XII 91-122; May 1926.) [Important paper.]
- Bodine, J. H.**—Hydrogen Ion Concentration in the Blood of certain Insects (Orthoptera). (*Biol. Bull. Woods Hole* LI 263-369; Nov. 1926.)
- Borel, M.**—
Au sujet de l'action empêchante de la couleur blanche sur la ponte des moustiques, dans les jarres indigènes blanchies à la chaux. (*Bull. Soc. Path. Exotique* XIX 702; Oct. 1926.)

Borel, M.—*contd.*

Note sur les gîtes de *Neocellha maculata* en Cochinchina et dans le Sud-Annam. (*Bull. Soc. Path. Exotique* XIX 703-704; Oct. 1926.)

Borodin, D. N.—Practice of Estimating losses caused by Insect Pests to the small grains in Russia. (*Jl. Eco. Ent.* XIX, 227-235; April 1926.)

Böving, A. G.—The immature stages of *Psephenoides gahani*. Champion (Col.; Dryopidae). (*Trans. Ent. Soc. London* LXXIV 381-388, tt. 89-90; Dec. 1926.) [From material collected at Haldwani.]

Boyd, M. F.—A Note on the rearing of Anopheline Larvæ. (*Bull. Ent. Res.* XVI, 308; Mar. 1926.)

Breitenbach, W.—Ueber das Diaphanol als Hilfsmittel bei lepidopterologischen Forschungen. (*Zeit. wiss. Ins.*, XXI, 58; Mar. 1926.)

Breitenbecher, J. K.—Variation and Heredity in *Bruchus quadri maculatus*, Fabi. (Coleoptera) (*Canad. Ent.*, LVIII, 131-135; June 1926.)

Brereton, W. le Gay.—White Ants in Fruit Trees. (*Agric. Gaz. N. S. W.*, XXXVII, 617; Aug. 1926.) [Control by placing round the tree pieces of soft wood with holes filled with arsenic and plugged.]

Brittain, W. H.—

Calcium Cyanide and its Utilization in the Control of Mound-building Termites or White Ants. (*Bengal Agric. Jl.* V, 82-87.)

The Utilization of Calcium Cyanide in the control of Insect and Rodent Pests in India. (*Planter's Chron.*, XXI, 538-544; Aug. 1926.)

Brittain, W. H., and Shaw, W. S.—Preliminary Report on the Application of Calcium Cyanide Dust to the Control of *Helopeltis* in Tea. (*Planters' Chron.*, XXI, 527-531; Aug. 1926.)

Bromley, S. W.—The external anatomy of the Black Horse-fly, *Tabanus atratus*, Fabi. (Diptera: Tabanidae.) (*Ann. Ent. Soc. Amer.* XIX 440-460, 12 figs.; Dec. 1926.)

Broudin and Peytavin.—Contribution à l'étude du surra d'Indochine (Bull. Soc. Path. Exotique XIX 746-761: Oct. 1926.) [General account; both *Stomoxys* and *Tabanida* supposed to be vectors, but no experiments seem to have been done.]

Brug, S. L.—*Lophoscelomya annandalei* var. *djajasanensis*, nov. var. (Diptera: Culicidae). (Bull. Soc. Path. Exotique XIX 801-806: Dec. 1926.) [The typical form is from the Himalaya and Ceylon, the new variety from Djajasana, in Java.]

Brunetti, E.—New and little-known Cyrtidae. (Ann. Mag. Nat. Hist. (9) XVIII 561-606: Nov. 1926.) [*Pisalea jardinci*, n. sp., pp. 573-574, Maskeliya; *Pterodontia dorsolineata*, Brun., p. 578, Solan; *Pterodontia* placed in *Panopium*: *Subcyrtus*, n.g., p. 585, type *splendens*, n. sp., pp. 585-586, Darjiling; *Acrocera infusata*, n. sp., pp. 589-590, Pipera (Gonda Distr., U. P.); *A. plebeia*, n. sp., p. 590, Pashoke (Darjiling Distr., 3,500 ft.); Key to *Oncodes* spp., pp. 590-593; *O. rufomarginatus*, Brun., p. 591, Nuvara Eliya; *O. costalis*, Wlk., type redescr., p. 599; *O. lineatus*, n. sp., p. 600, Tura (Garo Hills); *O. marginifasciatus*, n. sp., pp. 600-601, Solan; *O. sex-maculatus*, n. sp., pp. 601-602, Serampore, Ind. from spider.]

Buckstone, A. W. W.—Migration of Insects. (Entomologist, LIX, 58; Jan. 1926.)

Bugnion, E.—Nouvelle étude des organes buccaux de la Scolie (Hym.) (Bull. Soc. Roy. Ent. Egypt, IX, (1925, Fasc. 4), 291-380, 29 t. figs.; 1926.)

Buxton, P. A.—The Radiation Integrator in Vacuo, an Instrument for the study of Radiant Heat received from the Sun. (Jl. Hygiene, XXV 295-291, 2 t.f.; Aug. 1926.)

C

Calvert, P. P.—The Relations of a Late Autumnal Dragonfly (*Odonata*) to Temperature (Ecology, VII, 185-190; April 1926.)

Cameron, A. E.—Bionomics of the Tabanids (Diptera) of the Canadian Prairie. (Bull. Ent. Res., XVII, 1-42, 18 fl., 6 tt.; July 1926.) [Rearing technique.]

Cameron, M.—New species of Staphylinidæ from India. (*Trans. Ent. Soc. Lond.* LXXIV 171-191; Dec. 1926.) [*Trichophya rudis*, n. sp., p. 171, Simla Hills, Chakrata Distr.; *T. obsoleta*, n. sp., p. 171, Chakrata distr.: *Termitodiscus minutus*, n. sp., pp. 171-172, Dehra Dun, in termite's nest; *Doryloxenus brevicornis*, n. sp., p. 172, Siwaliks, with a Termite; *D. wasmanni*, n. sp., p. 172, Dehra Dun, in termite's nest; *D. longesetosus*, n. sp., p. 172, Dehra Dun, in termite's nest; *Mycetoporus (Ischnosoma) indicus*, n. sp., p. 173, Dehra Dun; *M. (I.) himalayicus*, n. sp., p. 173, Chakrata distr., *M. (M.) perniger*, n. sp., pp. 173-174, Matiana; *Bolitobius humeralis*, n. sp., p. 174, Simla Hills; *B. simlacensis*, n. sp., p. 174, Simla Hills; *B. proximus*, n. sp., p. 175, Simla Hills; *B. monticola*, n. sp., p. 175, Simla Hills; key to above *Bolitobius* spp., p. 175; *Bygocharis bicolor*, n. sp., pp. 175-176, Dehra Dun, Chakrata distr.; *B. humeralis*, n. sp., p. 176, Theog; *Conosoma subtestaceum*, n. sp., p. 176, Chakrata distr.; *C. plagiatum*, Fauv., v. *unicolor*, nov., p. 176, Simla Hills; *C. subgracile*, n. sp., p. 177, Chakrata distr., Simla Hills; *C. vittatum*, n. sp., p. 177, Theog; *C. triste*, n. sp., p. 177, Masuri distr.; *C. obscurevittatum*, n. sp., pp. 177-178, Dehra Dun; *C. marginatum*, n. sp., p. 178, Masuri distr.; *C. rufoguttatum*, n. sp., p. 178, Simla Hills; *C. parkeri*, n. sp., p. 179, Almora, Masuri distr.; *C. "...variable"* [? lapsus, *variabile*], n. sp., p. 179, Siwaliks; *C. beesoni*, n. sp., p. 179, Masuri distr., Chakrata distr., Simla Hills; *C. obscurum*, n. sp., p. 180, Siwaliks; *C. c-rufum* n. sp., p. 180, Siwaliks; *C. quadrifasciatum*, n. sp., pp. 180-181, Siwaliks, Dehra Dun, Almora distr.; *C. maculicollis*, n. sp., p. 181, Siwaliks, Dehra Dun, Masuri distr., Almora distr.; *C. quadri-maculatum*, n. sp., p. 181, Chakrata distr., Simla Hills; *C. ochraceum*, n. sp., p. 182, Siwaliks, Dehra Dun, Masuri distr.: Key to above *Conosoma* spp., pp. 182-183; *Tachyporus nigromaculatus*, n. sp., p. 183, Masuri distr., Chakrata distr., Dehra Dun, Siwaliks; *T. undulatus*, n. sp., p. 183, Simla Hills; *T. assimilis*, n. sp., p. 184, Chakrata distr.; *T. marginalis*, n. sp., p. 184, Simla Hills; *T. simlacensis*, n. sp., p. 184, Chakrata and Simla districts; *T. singularis*, n. sp., p. 184, Chakrata distr.; *T. ancorarius*, n. sp., and v. *nitiduloides*, nov. p. 185, Siwaliks, Masuri and Chakrata districts; Key to above *Tachyporus* spp., p. 185; *Tachinus (T.) coriaceus*, n. sp., pp. 185-186, Almora distr.; *T. (T.) himalayicus*, n. sp., p. 186, Chakrata and Simla districts; *T. (T.) monticola*, n. sp., pp. 186-187, Simla Hills, Chakrata distr.: *T. (T.) simlaensis*, n. sp., p. 187, Simla Hills;

Cameron, M.—*contd.*

T. brunneicollis, n. sp., pp. 187-188. Chakrata and Simla districts; *T. (T.) semiruber*, n. sp., p. 188, Simla Hills; Key to above *Tachinus* spp., pp. 188-189; *Coproporus himalayicus*, n. sp., p. 189. Chakrata and Masuri districts; *C. intermedius*, n. sp., p. 189, Simla Hills, Chakrata distr., Siwaliks; *C. monticola*, n. sp., pp. 189-190. Masuri and Chakrata districts. Simla Hills; *C. ruficollis*, n. sp., p. 190, Delua Dun; Key to Indian *Coproporus* spp., pp. 190-191.]

Campbell, F. L.—

The Practicability of Quantitative Toxicological Investigations on Mandibulate Insects. (*Jl. Agr. Res.*, XXXII, 359-366; Feb. 1926.)

On the Possibility of Development of Tolerance to Arsenic by Individual Insects. (*Jl. Eco. Ent.*, XIX, 516-522; June 1926.)

Campbell, R. E.—The concentration of Wireworms by Baits before soil fumigation with Calcium Cyanide. (*Jl. Ec. Ent.* XIX 636-642; Aug. 1926.)

Candura, G. S.—Contributo alla conoscenza della vera Tignola del Grano (*Sitotroga cerealella*, Oliv.) [Lep., Gelechiadæ]. (*Boll. Lab. Zool. Portici* XIX 19-102, figs. 1-18; Aug. 1926.) [A very full account of the biology, economic status, parasites, etc., of this common Indian insect.]

Champion, G. C.—Some Indian (and Tibetan) Coleoptera. (*Ent. Month. Mag.*, LXII, 118-128, (May), 129-137, (June), 194-200, (August). [*Podabrus purpurascens* Hope, redescribed, Nepal, Kakkar (Cachar), Gopaldhara, Kurseong, Nainital, Dudhacoli, Kumaon, 7,000-9,000 ft., p. 119-120; *P. fuscolineatus*, n. sp. Pindar Valley, N. Kumaon, 8,000-11,000 ft., p. 121; *P. annulicornis*, n. sp., Sikkim, Darjiling 7,000 ft.: Tibet, Tropde and Rongshar Valley, 9,500-11,000 ft., p. 121-122; *P. tenuicollis*, n. sp., Sikkim, Gopaldhara near Darjiling 4,720-6,100 ft., Gantok, 5,100 ft., p. 122; *P. cavicornis*, n. sp., Nilgiri Hills, p. 122-3; *Anolisus parallelus*, n. sp., Sikkim, Rungbong Valley, p. 123; *A. hieroglyphicus*, n. sp., Sikkim, Darjiling 7,000 ft., p. 124; *A. ocellaris*, n. sp., Sikkim, Singlik and Tsuntang, 3,500-7,000 ft., p. 124-5; *A. fumidus*, n. sp., N. Kumaon, Sunderdhunga, Pindar Valley, and Gore River Gorge, 8,000-12,000 ft.;

Champion, G. C.—contd.

Tibet, Tropde, 11,000 ft., p. 125; *A. rubicundus*, n. sp., Upper Burma, Ruby Mines, 5,000-7,000 ft., p. 125-6; *Themus crassimargo*, n. sp., Sikkim, Gopaldhara, Manipur, p. 127-8; *T. ancoralis*, n. sp., Sikkim Gopaldhara, Rungbong Valley, Mungphu, Katmandu, Nepal, p. 128; *Themus venningi*, n. sp., Upper Burma, Haka, Chin Hills; N. E. India, Manipur, p. 130. *Themus stevensi*, n. sp., Sikkim, Rungbong Valley, Gopaldhara, 4,720 ft., p. 132, *Themus cacharensis*, n. sp., E. Assam, N. Cachar Hills, p. 132; *Themus* (?) *chrysocephalus*, n. sp., Sikkim, Rungbong Valley, Gopaldhara; Tibet, Chumbi Valley, 10,000 ft., p. 133; *Themus puncticeps*, n. sp., Tibet, Tropde, 11,000 ft.; Yatong, 10,500 ft., p. 134; *Themus pradongus*, n. sp., N. Kumaon, Pindar Valley and Gori River Gorge, 8,000-11,000 ft., p. 135; *Themus hobsoni*, n. sp., Tibet, Yatong, 10,500 ft., Rongshar valley, 12,000 ft., p. 136; *Themus pindarue*, n. sp., N. Kumaon, Sunderdhunga and Pindar Valley, 8,000-12,000 ft., p. 136-137; *Themus* (?) *comans* n. sp., Kumaon, Ranikhet, p. 137; *Podistia terricola*, n. sp., Tibet, Dinka La, 16,000 ft., p. 194; *Prothemus*, n.g., *Prothemus neglectus*, n. sp., Nepal, Singhik, Gopaldhara and Mungphu, p. 195; *Athemus cyanurus* Hope, redesc., Nepal, Punjab, Bengal, Assam, p. 196-97; *Athemus monostigma*, n. sp., Burma, Maymyo, p. 197-198; *Athemus xanthogaster*, n. sp., W. Almora Bhatkot and Sunderdhunga, p. 199; *Athemus podobroides*, n. sp., Sikkim, Rungbong Gopaldhara, p. 199-200.).

Champion, H. G.—Entomological Notes on a Tour of the Kumaon-Tibet Border in 1924. (*Ent. Mo. Mag.* LXII 272 (Nov. 1926) 273-277 (Dec. 1926). [Colcoptera and Rhopalocera].)

Cherian, M. C., and George, C. J.—On *Psara phocopteralis* as a pest of grasses in South India. (*Bombay N. H. S. J.* XXXI 529-530, tab.; Aug. 1926.)

China, W. E.—

Egypona Kirkaldy: an interesting Case of Synonymy in the Jassoidea (Homoptera). (*Ann. Mag. Nat. Hist.* (9th s.) XVII, 348-350; Mar. 1926.)

A new species of *Cicadatra* (Cicadidæ) from Waziristan with notes on the allied genus *Psalmocharias* Kirkaldy. (*Ann. Mag. Nat. Hist.* (9) XVIII 374-376 figs.) [*Cicadatra gingat*, n. sp., Razmak (6,000-7,000 feet.); the Quetta specimens referred by Distant

China, W. E.--*contd.*

(Fauna III 135 f. 58) to *quorula* are really *rugipennis*, Wlk.;
Fauna no. 1635, *acheri*, Dist., belongs to *Cicadatra*.]

Christophers, S. R.—*A. (Myzomyia) patteni*, a New Anopheles from Shan-Tung, North China; with Notes on Some other Species of *Anopheles* from the same Locality. (*Ind. Jl. Med. Res.*, XIII, 871-878, t. XLIII; April 1926.)

Christophers, S. R., and Barraud, P. J.—The Development of the Male and Female Hypopygium of *Phlebotomus*. (*Ind. Jl. Med. Res.*, XIII, 853-870, t. XXXIX-XLII; April 1926.)

Christophers, S. R., and Sinton, J. A.—A Malaria Map of India. (*Ind. Jl. Med. Res.*, XIV, 173-178. map; July 1926.)

Christophers, S. R., Shortt, H. E., and Barraud, P. J.—

Reports of the Kala-azar Commission, India, No. 1 (1924-25). (*Ind. Med. Res. Memoirs*, No. 1; Feb. 1926.)

Culicoides and Kala-azar in Assam, pp. 111-112. (Reprint. *Ind. Jl. Med. Res.*, XIII; July 1925.)

The Development of the Parasite of Indian Kala-azar in the Sandfly *Phlebotomus argentipes*, Annandale and Brunetti, pp. 123-125. (Reprint. *Ind. Jl. Med. Res.*, XII; Jan. 1925.)

Further Observation the Feeding of Sandfly, *Phlebotomus argentipes*, on cases of Indian Kala-azar, pp. 127-133. (Reprint. *Ind. Jl. Med. Res.*, XIII; July 1925.)

Development of the Parasite of Indian Kala-azar in the Sandfly *Phlebotomus argentipes*: Controls, pp. 135-139.

Development of the Parasite of Indian Kala-azar in the Sandfly *Phlebotomus argentipes*: Re-fed Flies and Further Results of the Feeding of Sandflies on Kala-azar Cases, pp. 141-145.

The Feeding of Larvæ of *Phlebotomus argentipes*, Annandale and Brunetti, on Cultures of *Leishmania donovani*, pp. 155-156.

Technique employed in Breeding *Phlebotomus argentipes* in Assam, pp. 173-175, tt.

The Anatomy of the Sandfly, *Phlebotomus argentipes*, Ann. and Brun. (Diptera). I. The Head and Mouth Parts of the Imago.

Cleveland, C. R.—Repellent Sprays for Flies Attacking Dairy Cattle (*Jl. Eco. Ent.*, XIX, 529-536; June 1926.)

Cleveland, L. R.—Symbiosis among Animals with special reference to Termites and their intestinal Flagellates. (*Qrly. Review Biology* 1 51-59, tabs. 1-4; Jan. 1926.)

Cockayne, E. A.—Homœosis and Heteromorphosis in Insects. (*Trans. Ent. Soc. London* LXXIV 203-230, tabs. 61-64; Dec. 1926.)
[*Pynaeis candui* from Kurram Valley, p. 223.]

Cook, W. C.—

Some Weather Relations of the Pale Western Cutworm (*Porosagrotis orthogonia* Morr.) A Preliminary Study. (*Ecology*, VII, 37-47; Jan. 1926.)

The Effectiveness of Certain Paraffin Derivatives in Attracting Flies. (*Jl. Agr. Res.*, XXXII, 347-358; Feb. 1926.)

Methods of Collecting Moths. (*Canad. Ent.*, LVIII, 105-108; May 1926.)

Corbett, G. H.—Contributions towards our knowledge of the *Aleyrodidae* of Ceylon. (*Bull. Ent. Res.*, XVI, 267-284; Jan. 1926.)
[*Aleyrodicus antidesmae*, n. sp., Pundaluoya, on *Antidesma bunius*, p. 267-268, fig. 1; *Dialeurodes (Rabdostigma) loranthi*, n. sp., Hewaheta, on *Loranthus*, p. 268-269 fig. 3; *Dialeurodes (Rhachispiora) capitatis*, n. sp., Nuwara Eliya, p. 270, fig. 4; *Dialeurodes (Rhachispiora) setulosa*, n. sp., Habarana, p. 270-1, fig. 5 *Aleyroplatus ficus-gibbosae*, n. sp., Peradeniya, on *Ficus gibbosa*, p. 271-2, fig. 6; *Aleyroplatus (Orchamus) premnae*, n. sp., Peradeniya, on *Premna cordifolia*, p. 272-273, fig. 7; *Bemisia emiliae*, n. sp., Hakgala, on *Emilia sonchifolia*, p. 273, fig. 8; *Aleyrodes hyperici*, n. sp., Nuwara Eliya, on *Hypericum* sp., p. 274 fig. 9; *Aleyrocanthus obovatus*, n. sp., Pundaluoya, on leaf of bamboo, p. 275-276, fig. 10, *Aleyrocanthus niger*, n. sp., Pundaluoya, on bamboo, p. 276, fig. 11; *Aleyrocanthus nigricans*, n. sp., Pundaluoya, on *Bambusa* sp., p. 277, fig. 12; *Aleyrotrachelus longispinus*, n. sp., Tolloola, on an undetermined plant, p. 277-278, fig. 13; *Neomaskellia andropogonis*, n. sp., Bandarawela, on *Andropogon* sp., p. 278-279, fig. 14; *Aleyrolobus zeylanicus*, n. sp., Trincomali, on an unidentified plant, p. 279-80, fig. 15; *Aleyrolobus giceni*, n. sp., Peradeniya, on an undetermined shrub, p. 280-1; fig. 16; *Tetraleurodes rugosus*, n. sp., Dambula, Maha Illupalama, North Central Prov., on grass, p. 281, fig. 17; *Tetraleurodes semilunaris*, n. sp., Colombo, on *citronella* [grass], p. 282, fig. 18; *Zaphanera*, n. gen., *Zaphanera*

Corbett, G. H.—*contd.*

cyanotis, n. sp., Maskeliya, on *Cyanotis* sp., Pundaluoya, on *Cyanotis*, sp., p. 282-3, fig. 19; *Laingiella*, n. gen., *Laingiella bambusæ*, n. sp., Ratnapura, on bamboo, pp. 283-4, fig. 20.]

Corbett, G. H. and Gater, B. A. R.—A preliminary list of Food-plants of some Malayan Insects. (*Dept. Agri. F. M. S. and Straits Sett.*, Bulletin No. 38: pp. 95; 1926.)

Corporaal, J. B.—On some Indian Cleridæ (Coleoptera). Pt. I. New Species of Cleridæ from British India and Burma. (*Ind. For. Rec.*, XII, 209-216 (s. p. 1-8); 1926.) [*Cylidrus becconi*, n. sp. Tharo Range, Dehra Dun, U. P.: *C. tricolor*, n. sp., Burma; U. P., Kumaon, Gonda. Jarwa, Dehra Dun, Madras: Coonoor River, Nilgiris, Nilambur; *Opilo discordirus*, n. sp. Dehra Dun; *Anthicoclerus ruficollis*, n. sp., var. *ruficeps* n., Dehra Dun; C. P.: Birguri, Raipur.]

Crampton, G. C.—

A Phylogenetic Study of the Thoracic Sclerites of the Psychodoid Diptera, with Remarks on the Interrelationships of the Nemato-cera. (*Ent. News.*, XXXVII, 65-70; Mar. 1926.)

The Affinities of *Gryl oblatta* indicated by a Study of the Head and its Appendages. (*Psyche*, XXXIII, 77-85, figs. ; June 1926.)

Crawford, J. A. and Chalam, B. S.—Mosquito Reduction and Malarial Prevention. (Oxford Univ. Press: 1926: pp. xiii+102, illustr.) [A useful handbook for the use of Mosquito Brigades; Key to Anophelines, pp. 93-99.]

Crew, F. A. E.—Abnormal Sexuality in Animals I. Genotypical. (*Q. J. Review Biology* 1, 315-359, 14 figs.; July 1926) [Sexuality in *Drosophila* (Dipt.) and *Lymantria* (Lepidopt.)]

Cross, H. E.—Bot Flies of the Punjab. (*Pusa Bull.* 160; p. 16, tl. 1-8: 1926).

D

De, M. N.—Tasar Silk-worm Rearing. (*Bihar Dept. Industries, Bulletin*, 17: pp. 13+3 tabs.; Patna, 1926.)

de Bergevin, E.—Note à propos d'un nouvel Hémiptère Capsidæ se révélant sucer le sang humain. (*Bull. Soc. Hist. Nat. Afrique Nord*, XVII, 173-174; June 1926.)

de Kerville, H. G.—Résultats de la décapitation et greffe de la tête d'Insectes adultes de différents ordres (*Bull. Soc. Ent. France*, pp. 47-52; Feb. 1926.)

Demoll, R.—Die Atmung der luftatmenden Insekten. (*Zool. Anzeig*, LXIX, 8-16; Nov. 1926.)

De Ong, E. R.—Technical Aspects of Petroleum Oils and Oil Sprays. (*Jl. Ec. Ent.* XIX, 733-745; Oct. 1926.)

Didier, R.—Descriptions de Lucanides nouveaux [Col.]. (*Bull. Soc. Ent. France*, pp. 83-86; April 1926.) [*Metopodontus candezei*, Boileau, redescribed, Nilgiri-Hills.]

Dietz, H. F., and Snyder, T. E.—The Control of White-ants. (*Ind. Forester*, LII, 58-60, 1926.) [from Panama; *Journal of Agricultural Research*, XXVI.]

d'Orchymont, A. —

Contribution à l'étude des Hydrophilides V, VI, VII (*Bull. Ann. Soc. Ent. Belgique*, LXVI, 91-106, (Feb.) 201-218, (May) 1926) [*Helophorus* (*Atracthelophorus*) *frater*, n. sp., Laptel (Kumaon), 15,000 ft., pp. 93-95; *Helophorus* (s. str.) *montanus*, n. sp., Kumaon, 15,000 ft., also Tibet, 15,000 ft., pp. 97-99; *Sphaeridium cameroni*, n. sp., Dehra Dun, Siwaliks, p. 202; *Cercyon* (s. str.) *lividulus* n. sp., Nilgiri Hills, Coonoor, pp. 201-205; *C.* (s. str.) *indicus*, n. sp., Nilgiri Hills, p. 205-207; *C. uniformis* Sharp, redesc., Nilgiri Hills, p. 207-208; *Pseudocercyon*, n. g., p. 212-213; *P. andrecesi*, n. sp., Nilgiri Hills, pp. 213-214; *Gillissius andrecesi*, n. sp., Nilgiri Hills, p. 214-215; *Morastus*, n. g., pp. 216-217; *M. gracilipalpis*, n. sp., Nilgiri Hills, pp. 217-218; *Pachysternum carlsoni*, n. sp., India: Barway, Sikkim: Gopaldhara, p. 220; *P. stovensi*, n. sp., India: Shembaganur, Gopaldhara, also Tonkin, pp. 220-221; *Cryptopleurum ferrugineum* Motsch., redesc., Bengal, Ceylon, Singapur, etc. pp. 227-228; *C. sulcatum*, Motsch., Ceylon, p. 228; *Pelthydrus championi*, n. sp., Haldwani district, pp. 241-242; Keys to spp., etc.

Notes on Philippine Hydrophilidae. (*Philipp. Jl. Sci.*, XXX, 361-285; July 1926) [*Hydrochus annamita*, Rég., Assam, Tonkin.

d'Orchymont, A.—*contd.*

Luzon, p. 363; *Dactylostomum abdominale*, Fb., p. 363, Manila, Singapore, Penang, etc.; *D. dytiscoides*, Fb., p. 366, Luzon, Aru, Malaya, Ceylon; *Cercyon lincolatus*, Mots., p. 372, Philippines, India, Ceylon; *Omicrogiton insularis*, Orch., p. 372, Luzon, Ceylon; *Pachysternum*, Mots., pp. 373-374, remarks; *Paracymus*, Thomson, pp. 375-377, remarks, key to spp.; *P. evanescens*, Sharp, pp. 377-378, India, Seychelles, Australia, Philippines; *Holochares taprobancus*, Sharp, p. 379, Philippines, Borneo; *Enochrus esuriens*, Wlk., p. 382, Philippines, Oriental Region; *E. malabarensis*, Reg., p. 382, Luzon, India; *E. rubrocinctus*, Reg., p. 383, Philippines, Buru, Calcutta; *Chalarthria indica*, Orch. Philippines, India, Tonkin; *Sternolophus rufipes*, Fb., p. 384, Philippines, Oriental Region; *Amphiops mirabilis*, Sharp, Manila, Ceylon, India Sumatra, Indo-China; *Berosus indicus*, Mots., p. 385, Luzon].

Duda, O.—Fauna Sumatrensis. Drosophilidæ (Diptera). (*Supplem. Entom.*, XIV, 42-116; Decem. 1926) [*Protostegana lateralis*, Wulp, p. 45, Ceylon, Java, Sumatra; key to subgenera of *Drosophila*, Fallen, pp. 62-63; key to South-eastern Asiatic spp. of *Paradrosophila*, Duda, pp. 71-74; *P. nigra*, Meij., pp. 78-79, redescr., Java, Sumatra, E. Indies; key to Oriental and European spp. of *Acanthophila*, Duda, pp. 82-84: *Drosophila ananassa*, Dol., p. 98, Amboina, Java, Formosa, Papua, E. Indies, Seychelles, S. and C. America; *D. bipectinata*, Duda, pp. 98-99, f. 16, E. Indies, Sumatra; *D. montium*, Meij., p. 99, f. 17, Java, E. Indies, Sumatra, S. and E. Africa. *D. repleta*, Woll., p. 106, Cosmopolitan, Synon.; *D. buschi*, Coq., p. 106, Cosmopolitan, Synonymy.]

Duncan, J. T.—On a Bacterioid Principle present in the Alimentary Canal of Insects and Arachnids. (*Parasitology*, XVIII, 238-252; June 1926.)

Dutt, G. R.—Stephanidæ. (*Cat. Ind. Ins.*, pt. 10; pp. 14; Calcutta, 1926.)

E

Edwards, F. W.—

Extraordinary mating-habits in a mosquito. (*Ent. Month. Mag.*, LXII, 23; Jan. 1926.) [The male hunts for mature female pupæ

Edwards, F. W.—*contd.*

and having found one slits open the pupal skin on the back of the thorax and thrusts his abdomen inside and effects copulation before the female emerges. Process described.]

On the British Biting Midges (Diptera: Ceratopogonidae) (*Trans. Ent. Soc., London LXXIV*, 389-426, tt. 91-92, 3 figs.; Dec. 1926.) [Ceratopogonidae distinct from Chironomidae, p. 390; key to genera, p. 392; *Forcipomyia*, Meigen, p. 393, characters; *Lasiohelea*, Kieff., p. 398, characters; *Atrichopogon*, Kieff., pp. 399, 400, characters; *Kenopia*, Kieff., p. 399, characters; *Dasyhelea*, Kieff., p. 401, characters; *Culicoides*, Latr., p. 403, characters; *Ceratopogon*, Meigen, pp. 407-408, characters; *Stilobezzia*, Kieff., pp. 411-412, characters; *Palpomyia*, Kieffer, p. 416, charact.; *Bezzia*, Kieff., p. 422, characters.]

Eisentraut, M.—Die spermatogonialen Teilungen bei Aoridiern mit besonderer Berücksichtigung der Überkreuzungsfiguren. (*Zeit. Wissen. Zool.*, CXXVII, 141-183, t. f. 24, tt. 1-II; Jan. 1926.)

Eltringham, H.—On the structure of an Organ in the Hindwing of *Myrmecleon nostras*, Fourc. (*Trans. Ent. Soc. London LXXIV* 267-268, t. 73; Dec. 1926.)

Evans, W. H.—

The identification of Indian Butterflies. Pt. IX. (*Jl. Bombay, N. H. Soc.*, XXXI, 49-83, t. xxx, May 1926) [Hesperiadæ keys to subfamilies and genera.]

The identification of Indian Butterflies. Part X. (*Bombay N. H. S. Jl.*, XXXI 427-446, t. 31; Aug. 1926.)

The identification of Indian Butterflies. Part XI. (*Bombay N. H. Soc. Jl.*, XXXI, 615-637, t. 32; Dec. 1926.)

Notes on Indian Butterflies. (*Bombay N. H. Soc. Jl.*, XXXI, 712-719; Dec. 1926.)

Evenius, J.—*Lyogryllus domesticus*, L., als Überträger von *Tyroglyphus mycophagus*, Mégnin. (*Zool. Anz.*, LXVI, 207-212, 2 figs.; April 1926.)

Ewing, H. E.—Some recent generic derivatives of the Mal'opagan genus *Philopterus* Nitzsch (Philopteridae). (*Proc. Ent. Soc. Wash.* XXVIII, 145-150; June 1926.)

Eyer, J. R.—

Characters of Family and Superfamily Significance in the Male Genitalia of Microlepidoptera. (*Ann. Ent. Soc. America*, XIX, 237-244, tt. xviii-xix; June 1926.)

Morphological Significance of the Juxta in the Male Genitalia of Lepidoptera. (*Bull. Brooklyn Ent. Soc.*, XXI, 32-37.)

F

Falcoz, L.—Matériaux pour l'étude des larves de Curculionides. (*Ann. Epiphyt.* XII, 109-146, tt. 1-8; Nov. 1926.) [Larval types n *Cleonus*, *Lixus*, *Ceuthorrhynchus* and *Baris*.]

Faure, Jean C.—Contribution à l'étude des Hyménoptères parasites. (*Rev. Path. Veg. Ent. Agric.*, XII, 293-305; Oct.-Dec. 1925.)

(1) Sur deux hyperparasites des chrysalides de *Pieris brassica* L. (pp. 293-296). (2) Liste des Hyménoptères parasites de *Polychrosis botrana*, Schiff., obtenus de 1923-25, en Bourgogne et dans le Sud. Est. (pp. 297-299). (3) Sur quelques Hyménoptères parasites obtenus par voie d'élevage (pp. 300-305).

Felt, E. P.—Physical basis of insect drift. (*Nature*, CXVII, 754-755.)

Fletcher, T. Bainbrigge.—Two Caterpillars from Assam. (*Proc. Ent. Soc. Lond.* I, 2; Nov. 1926.) [*Brahmaea wallichii*, Gray, and a Geometrid.]

Fletcher, T. Bainbrigge and Husain, M. Afzal.—List of Publications on Indian Entomology, 1925. (*Pusa Bulletin* No 165; pp. 62+x; Dec. 1926.)

Fleutiaux, E.—

Description of a new species of *Fornax* from India (Melasidae, Col) (*Ind. For. Rec.*, XII, 271-272, 1926.) [*Fornax gardneri*, n. sp., Jhajra, Dehra Dun.]

Descriptions de deux espèces nouvelles appartenant au genre *Campsosternus*, Latr. Col. Elateridae. (*Bull. Soc. Ent. France*, 58-60, Mar. 1926.) [*C. elongatus*, n. sp., Tibet and Yunnan; *C. quadrimaculatus*, n. sp., Yunnan.]

Florence, J.—The occurrence of the Butterfly, *Appias indra* var. *aristoxenus* in the Nilgiris. (*Bombay N. H. S. Jl.* XXXI, 529; Aug. 1926.)

Forbes, W. T. M.—The relationships of some aberrant Pyralids (Lep.). (*Jl. N. York Ent. Soc.*, XXXIV, 331-340, t. 25: Dec. 1926)

Forbes, Wm. T. M.—The Wing Folding Patterns of the Coleoptera. (*Jl. N. Y. Ent. Soc.*, XXXIV, 42-68, t. f. 2, Mar.; 91-115, tt. vii-xviii, June.)

Fraser, F. C.—

Indian Dragonflies. Pt. XXIII. (*Jl. Bombay N. H. Soc.*, XXXI, 158-171; May 1926.) [Many spp. redescribed. *Cyclogomphus wilkinsi*, n. sp., Hunsur (Mysore), pp. 161-162; *Cyclogomphus gynostylus*, n. sp., Kandy Lake, Ceylon, pp. 162-163. *Davidius zalloreensis delincatus*, n. sp., Gangtok Darjiling District, pp. 166-167; *Davidius malloryi*, n. sp., Khasi Hills, Assam, pp. 167-169; *Davidius aberrans sencha'ensis*, n. subsp., Senohal, Darjiling District, 8,000 ft., p. 170; *Davidius kumaonensis*, n. sp., Kumaon, 7,000 ft., pp. 170-171.

Indian Dragonflies, Part XXIV. (*Bombay N. H. S. Jl.* XXXI, 408-426, figs. 1-5; Aug. 1926.)

Indian Dragonflies. Part XXV. (*Bombay N. H. Soc. Jl.* XXXI, 733-747, figs.; Dec. 1926.)

Dragonflies: a revision of the genus *Zygonyx*, Selys. (*Bombay N. H. Soc. Jl.*, XXXI, 762-769, figs.; Dec. 1926.)

G

Gable, C. H.—Fighting Locusts with a Contact Insecticide. (*Jl. Ec. Ent.*, XIX, 861-863, Dec. 1926.)

Gabritschevsky, E.—Convergence of Coloration between American Pilose Flies and Bumblebees (*Bombus*). (*Biol. Bull. Woods Hole*, LI, 269-286, tt. 1-4; Oct. 1926) [Similar cases occur in India.]

Gardner, J. C. M. —

Descriptions of New Species of Niponiidae and Cerambyoidae from India (*Ind. For. Rec.*, XII, 193-209, s. p. (1-17), 1 t., 1 f.;

Gardner, J. C. M.—*contd.*

- 1926.) [Niponiidæ: key spp. *Niponius*, pp. 2-3; *N. himalayensis*, n. sp., Chakrata, 9,000 ft., pp. 3-4; *N. punjabensis*, n. sp., Kangra Div., Punjab, pp. 4-5; *N. subtriatus*, n. sp., Chakrata, p. 5; *N. variabilis*, n. sp., Bangalore, Mysore pp. 5-6. Cerambycidæ: *Hoplocerambyx cicatricatus* n. sp., Kanara, Bombay, pp. 6-7; *Pachydissus birmanicus*, n. sp., S. Toungoo, Burma, p. 7; *Obrium randiæ* n. sp., Jhajha, Dehra Dun, pp. 7-8; *Epania*, key to Ind. spp., p. 8; *E. amooræ*, n. sp., Okyi, Shwegu, Burma, pp. 8-9; *E. calophylli*, n. sp., Coorg; Mawkut, pp. 9-10; *E. assamensis*, n. sp., Assam, Cachar Jiri forests, pp. 10-11; *Prothema belli* n. sp., ? Kanara Bombay, pp. 11-12; *Epipedocera*, key to Ind. spp., p. 12; *E. assamensis*, n. sp., Haflong, Assam, pp. 12-13; *Halme*, key to spp., p. 14; *H. chatterjeei*, n. sp., Jiri forests, Cachar, Assam, pp. 14-15; *Artimpara obscura*, n. sp., Assam, Naga Hills, p. 15; *Cleomenes assamensis*, n. sp., Assam, Naga Hills, p. 16; *Nida championi*, n. sp., Kumaon, pp. 16-17.]
- (a) Description of the early stages of *Fornax gardneri* Fleut. (Melasidæ, Col.). (b) Description of the Larva of *Atractocerus emarginatus* Cast. (Lymexylonidæ, Col.). (Ind. For. Rec., XII, 273-282, t 1, 1926.)

Gimingham, C. T.—On the presence of an Egg-burster in Aphididæ. (Trans. Ent. Soc., Lond., 1925, pp. 585-590, 2 figs; Feb. 1926.)

Girault, A. A.—

- Notes and descriptions of Australian Chaloid Flies. IV. (Insec. Inscit. Menstr., XIV, 58-73; May 1926.) [*Tumidicozella*, Gir., and *Tumidicozoides*, Gir., are Synonyms of *Chaleis*, p. 66.]
- New species of *Chaleis* from Australia. (Insec. Inscit. Menstr. XIV, 139-140; Nov. 1926) [*Euthrips biguttaticarpus*, Girault. Ins. Inscit. Menstr. XIII, 34-35, 1925, is *Anaphothrips signipennis*, Bagnall, described from Ceylon.]

Glaser, R. W.—

- The Green Muscardine Disease in Silkworms and Its Control. (Ann. Ent. Soc. America, XIX, 180-189, tt. xii-xv; June 1926.)
- Further Experiments on a Bacterial Disease of Adult Flies with a Revision of the Etiological Agent. (Ann. Ent. Soc. America, XIX, 193-198; June 1926.)

Granovsky, A. A.—

The Efficiency of Saw dust Bait in the Control of grasshoppers.
(*Jl. Eco. Ent.*, XIX, 211-218 : April 1926.)

The control of Grasshoppers by Airplane Dusting. (*Jl. Ec. Ent.*,
XIX, 791-795 ; Oct 1926.)

Green, E. E.—On some New genera and species of Coccidæ. (*Bull. Ent. Res.*, XVII, 55-65, ff. 9, July 1926) [*Becsonia*, n. g., *Becsonia dypterocephala*, n. sp., Burma forest, pp. 55-59, f. 1-1 *Pedroniopsis*, n. g., *Pedroniopsis becconi* n. sp., Russelkonda, Ganjam, Madras, pp. 59-60, fig. 5. *Neofurcaspis*, n. g. *Neofurcaspis andamanensis*, n. sp., Andaman Islands : Port Blair, Ross Islands, pp. 61-63, fig. 7. *Neoleucaspis*, n. g., *Neoleucaspis parallela*, n. sp., Malabar, pp. 63-64, fig. 8.]

Griffin, E. L. and Richardson, C. H.—A Field Method of Determining the Oil Strength of Sprays (*Jl. Eco. Ent.*, XIX, 522-525 ; June 1926.)

Griswold, G. H.—Notes on some Feeding Habits of two Chalcid Parasites. (*Ann. Ent. Soc. America*, XIX, 331-334, fig. ; Sept. 1926.) [*Aphiducyrtus* and *Aphelinus* observed to feed on lody-juices of Aphidids at holes made by ovipositor]

Grosvenor, T. H. L.—Annual Address (Variation). (*Proc. South. Lond. Ent. Nat. Hist. Soc.*, 1925-26, 39-53, 1926.)

Gunder, J. D.—A New and Inexpensive Lining for Insect Boxes (*Ent. Newt.*, XXXVII, 154, May 1926.) [Compressed cane fibre-board under the trade name of 'calotex.']

Gurney, W. B.—The Woolly Aphis Parasite. (*Aphelinus mali* Hald.) (*Agric. Gaz. N. S. W.*, XXXVII, 620-626, t. ff., Aug. 1926.)

Gurney, W. B. and Brereton, W. L. G.—The Control of Woolly Aphis. Methods that are available. (*Agric. Gaz. N. S. W.*, XXXVII, 545-551, figs. ; July 1926.)

Gurney, W. B. and Woodhill, A. R.—

Reports of the External Parasites in Sheep Committee of the Departmental Research Council. No. II. Range and Longevity of Sheep Blow flies (*Agric. Gaz. N. S. W.*, XXXVII, 49-46,

Gurney, W. B. and Woodhill, A. R.—*contd.*

fl.; Jan. 1926). No. III Biological Notes on Sheep Blow flies in the Moree Districts (*Ibid.* 135-144; Feb. 1926).

Investigation on Sheep Blowflies. Pt. I. Range of Flight and Longevity. Pt. II. Notes on Bionomics and Parasites. (*Science Bull.* 27, Dept. Agric. New South Wales; May 1926.)

Guyton, F. E.—Preliminary Report on Sodium Fluoride as a control for Cattle Lice. (*Jl. Ec. Ent.*, XIX, 602-603; Aug. 1926.)

H

Hall, W. J.—

The Hibiscus Mealy Bug (*Phenacoccus hirsutus*, Green) in Egypt in 1925 with notes on the introduction of *Cryptolaemus montrouzieri*, Muls. (*Egypt Agric. Techn. Bull.* 70: pp. 1-15, tabs. 1-4; Cairo 1926.)

Notes on the Aphididae of Egypt. (*Egypt Min. Agric. Bull.* 68; pp. 62, tabs. 1-3; Cairo, 1926) [Several Indian spp.]

Hamlin, J. C.—Metal Barriers as protective devices against the Saw-toothed Grain Beetle (*Oryzaephilus surinamensis*, Linn). (*Jl. Ec. Ent.*, XIX, 618-624, tab. 9; Aug. 1926.)

Hampson, Sir G. F.—

Some new Genera and Species of Phycitinae (Pyralidae) in the British Museum. (*Ann. Mag. Nat. Hist.* (9) XVIII, 628-634: Dec. 1926) [*Heterochrosis*, n. g., p. 631, typo *Heterographis molybdophora* Low. 1903: *H. zeylanica*, n. sp., p. 632, Puttalam.]

Descriptions of new genera and species of Lepidoptera Phalaena of the subfamily Noctuinae (Noctuidae) in the British Museum (Natural History). London: pp. 1-641: April 1926.

Hargreaves, H.—Notes on the Coffee Berry-borer (*Stephanoderes hampei* Ferr.) in Uganda. (*Bull. Ent. Res.*, XVI 347-354; Mar. 1926.)

Harukawa, C.—Submergence as a Control Measure for the Rice Borer, *Chilo simplex* Butler. (*Berichte Ohara Instituts f. landwirts. Forsch.*, III, 177-184: 1926.)

Hase, A.—Beiträge zur Kenntnis der Lebensweise der *Eristalis*-Larven (Diptera). (*Zool. Anz.*, LXVIII, 33-51; Aug. 1926.)

Heikertinger, F.—

Allgemeines über Züchtung von Insekten. (Abderhalden's *Handbuch der biol. Arbeitsmethoden*, pp. 25-80, 16 figs.; Berlin.)

Die Hälticnengenera der Palearktis und Nearktis. Bestimmungstabellen. (*Koleopt. Rundschau*, XI, 25-70, 16 figs. 1924-25.)

Züchtung der Corrodentia (Termiten, Läuse, Blasenfüsse usw.). (Abderhalden's *Handbuch der biol. Arbeitsmethoden*, pp. 191-200, 6 figs.; Berlin.)

Die Ameisemimese. (*Biol. Zentralblatt*, XLV, 705-727, 6 figs.; Dec. 1925.) [Ant-mimicry.]

Zur Mimese der *Kallima*-arten und anderer Blattschmetterlinge. (*Zent. wiss. Ins.*, XXI, 111-118, 1 t. f., July 1926.)

Heller, K. M.—Neue, altweltliche Bookkäfer. (*Tijl. v. Ent.*, LXIX, 19-50, t. v., April 1926) [Subfam. Cerambyoninae: *Tetraommatus ocellaris continentalis* n. subsp. ?, British India: Chakrata (U.P.) Kanasar 5,500 ft., p. 22; *Xylotrechus basifuliginosus*, n. sp., Punjab: Tharoch Simla. Jalratach 10,000 ft., p. 23-24; *Chlorophorus (Caloclytus) hederatus*, n. sp. Bengal: Rajabhatkhawa, Buxta (ex *Shorea robusta*); Assam: Haltugaon, Goalpara, fig. 2, pp. 25-26. *Chlorophorus (Caloclytus) annulifer*, n. sp., Dehra Dun: Nagsidh Forests, p. 26, fig. 1; *Pharsalia intermedia*, n. sp., Madras: Nilambur, pp. 29-30; *Mesocasia*, n. gen., *M. assamensis*, n. sp., Assam: Goalpara Haltugaon, ex *Shorea robusta*, p. 33, fig. 5 and 10; *Aesopida dubiosa*, n. sp. ?, Ceylon: Tonkin: Hoa Binh, pp. 37-39, fig. 11; *Olenecamptus signaticollis*, n. sp. Madras: Nilambur, ex *Lagerströmia lanceolata*, p. 39, fig. 6; *O. salweeni*, n. sp., Burma: Salween; Zibyaung, ex *Terminalia pyrifolia*, pp. 39-40, *Glenea* (s. str.) *beasoni*, n. sp., British India: Punjab. Chakrata, p. 46, fig. 8; *G. caninia*, n. sp., British India: Kanara, Karwar, p. 47, fig. 18; *Stiroglenea decolorata*, n. sp., Bengal: Sunderbans, ex *Heritiera*, pp. 47-48, fig. 12.]

Hendel, F.—5 Beiträge Zur Systematik der Agromyziden (*Zool. Anzeiger*, LXIX, 248-271; Jan. 1927.) [New key to the Agromyzid genera of the World, pp. 248-249.]

Henry, M.—Use of Sodium Cyanide in Rabbit Destruction. (*Agric. Gaz. N. S. W.*, XXXVII, 542; July 1926.)

Hering, M.—

Die Familie der Ratardidæ (Lep.), mit Beschreibung 5 nener Arten
(*Mittl. Zoolog. Museum, Berlin*, XII, 151-158, tab. : 1926.) [*R. marmorata*, Mo., p. 154, tab. f 1; *R. guttifera*, n. sp., p. 154, Sikkim. tab. f. 3, [this is a synonym of *marmorata*—T. B. F.]; *R. fuvivestita*, Hmp., p. 155.]

Ueber die Gattung *Neopsoustis*, Meyr. (Lep.). (*Mittl. Zoolog. Museum, Berlin*, XII, 143-147, 4 figs. ; 1926.)

Hermann, F.—Die Gattungen der Leptogastrinen (Dipt.). (*Verh. Zool.-bot. Ges. Wien.*, LXXIV-LXXV, 140-152 : 1926.)**Hermes, W. B.—The Effects of Parasitism on the Host and on the Parasite** (*Jl. Eco. Ent.*, XIX, 316-325 ; April 1926).**Herrick, G. W.—The "Ponderable" Substance of Aphids (Homop)** (*Ent. News*, XXXVII, 207-210 ; July 1926.) [Some calculations of increase in the number of aphids.]**Hetschko, A.—**

Junk's Coleopterorum Catalogus, Part 85. Lathridiidae. Berlin :
29 Jan. 1926.

Junk's Coleopterorum Catalogus, Part 83. Thoriotidae, Catopochrotidae, Monoedidae, Syntelidae, Cossyphodidae. Berlin : 4 Jan 1926.

Hingston, R. W. G.—

An Oriental Spheg or Hunting Wasp. Pt. II. (*Jl. Bombay N. H. Soc.*, XXXI, 147-157 ; May 1926.) [Habits, etc.]

The Mason Wasp (*Eumenes conica*). Part I. *Bombay N. H. S. Jl.* XXXI, 241-247, figs. ; Aug. 1926.)

The Mason Wasp (*Eumenes conica*). *Bombay N. H. Soc. Jl.*, XXXI, 754-761 ; Dec. 1926.)

Hofeneder, K.—Nachtrag zu "Stylops in copula." (*Verh. Zool.-bot. Ges. Wien.*, LXXIV-LXXV, 194-195, fig. ; 1926.)**Holdaway, F. G.—The Pink Bollworm of Queensland.** (*Bull. Ent. Res.*, XVII, 67-83, t. vi, 9 fig. ; July 1926.) [*Platyedra scutigera*, full account.]

Hopwood, S. F.—The Red-legged Falconet (*Microhierax eulolius*) hawking Butterflies. (*Bombay N. H. Soc. Jl.*, XXXI, 826; Dec. 1926.) [*Papilio demoleus* taken in Shwebo District; an editorial note on the general subject of birds eating butterflies.]

Horn, W.—

Junk's Coleopterorum Catalogus, Part 86. Carabidæ: Cicindelinae. Berlin: 10 May 1926.

Ueber den Verbleib der entomologischen Sammlungen der Welt. (*Supplementa Entomologica* No. 12, p. 133; Berlin, Mar. 1926.) [A list showing the disposal of Insect collections.]

Howard, L. O.—The Parasite Element of Natural Control of Injurious Insects and its Control by Man (*Jl. Eco Ent.* XIX, 271—282; April 1926).

Huard, V. A.—Du rôle des insectes dans la nature. [*Le Naturl. Can.*, LII, 251-256 (cont.)]

Hustache, A.—Nouveaux *Bagous* d'Asie (Col., Curculionidæ). (*Ann. Mag. Nat. Hist.*, (9), XVII, 641-647; June 1926.) [*Bagous humeridens*, n. sp., Bengal: Dacca. Cambodia: Kompong-Kédey, pp. 641-642; *B. vicinus*, n. sp., Central India: Kurda near Mhow. U. P.; Kumaon, Haldwani Div., pp. 643-644; *B. ovoideus*, n. sp., Malabar pp. 644-645; *B. affinis*, n. sp., Bengal: Sarda; p. 645; *B. luteitarsis*, n. sp., Bengal: Sarda, p. 646. Some n. spp from other localities.]

Hutchinson, C. M.—Photography from the Microscope. (*Ind. Jl. Med. Res.*, XIII, 449-466, t. XVIII-XXII; Jan. 1926.)

Hutson, J. C.—The Spotted Locust, *Aularches miliaris*, L. (*Ceylon Dept. Agric. Yearbook*, 1926, pp. 36-44, t. 16; 1926.)

I

Illingworth, J. F.—

Observations on *Chrysomyia megacephala*, Fabr., our common Blowfly, in the Orient. (*Proc. Hawaiian Ent. Soc.*, (1925), VI, 253-255; July 1926).

The Genus *Popillia*, with its Natural Enemies in the Orient (Col.), (*Ibid.* 256-259).

Illingworth, J. F.—*contd.*

Distressing Itch from a Moth, *Euproctis flava*, Bremer, in the Orient. (*Ibid.* 267-270).

Notes on *Sarcophaga fuscicauda*, Böttcher (Dip.). (*Ibid.* 262-265).

Imms, A. D.—The use of the Aeroplane for applying Insecticides. (*Jl. Min. Agric. England*, XXXIII, (*sep.* pp. 1-6), 2 tabs.; June 1926).

Ishii, Tei.—New Encyrtinae from Japan. (*Japan Impl. Plant Quarant. Techn. Bull.* 3, pp. 21-30, t. 8; Yokohama; Dec. 1925) [*Pareusession*, n. g., type *studiosum*, n. sp., paras. on *Lecanium hesperidum*; *Anisotylus albifrons*, n. sp., bred from Larva of *Scymnus* feeding on *Pseudococcus* sp. on Citrus.]

Iyengar, M. O. T.—The Anopheline Fauna of a Swamp in Bangalore. (*Ind. Jl. Med. Res.*, XIII, 697-702; Jan. 1926).

J

James, H. C.—The Anatomy of a British Phytophagous Chalcidoid of the Genus *Harmolita* (*Isosoma*). (*Proc. Zool. Soc. London*, 75-182, 68 t. fig., April 1926).

Jepson, F. P.—The Fly Nuisance on Estates in Ceylon (*Ceylon Dept. Agric. Year-book 1926*, pp. 54-56: 1926).

Jepson, F. P. and Gadd, C. H.—Manuring in relation to the control of Shot-hole Borer of Tea (*Xyleborus fornicatus*, Eichh.). (*Ceylon Dept. Agric. Bull.* 78; Dec. 1926; pp. 49, 5 figs.)

Jobling, B.—A comparative study of the structure of the head and mouth parts in the Hippoboscidae (Diptera Pupipara). (*Parasitology* XVIII 319-349, 4 figs., tabs. 11-15; Sept. 1926).

Johnston, H. Bennett.—A further contribution to our knowledge of the Bionomics and Control of the Migratory Locust, *Schistocerca gregaria*, Forsk. (*peregrina*, Oliv.) in the Sudan. (*Sudan Ent. Bull.* 22; pp. 1-14, map; June 1926).

Jones, D. W.—Some Notes on the Technic of Handling Parasites. (*Jl. Eco. Ent.* XIX, 311-316; April 1926).

Jordan, K.—

Some new Agaristidae, with remarks on Nomenclature. (*Novit. Zool.* XXXIII 371-378; Dec. 1926).

On some Old World Sphingidae. (*Novit. Zool.* XXXIII 379-384, 7 figs.; Dec. 1926) [*Pseudodolbina fo celator*, n. subsp., p. 379, f. 3, Dharmasala, Masuri; *Marumba microla*, Hamp., p. 380, belongs to *Agnosia*, Nagpur; *Cypa decolor pallens*, n. subsp., p. 380, Masuri; *Sataspes scotti*, n. sp., p. 381, f. 5, Dehra Dun.]

K

Kahan Singh.—Surra Transmission Experiments. (*Punjab Dept. Agric. Vety. Bull.* 16; pp. 20; Lahore, 1926). [*Tabanus bicallosus*, *T. virgo*, *T. ditaniatus* and *Ctenocephalus felis* capable of direct transmission; *T. hilaris*, experiments inconclusive.]

Karny, H. H.—On some tropical Copeognatha, especially from the Fiji Islands. (*Bull. Ent. Res.*, XVI, 285-290; Jan. 1926). [Key to the Indo-Australian Species of *Epipsocus*, p. 286-8.]

Keler, S.—A good type of Cage for rearing Parasites. (*Jl. Ec. Ent.* XIX, 866-867, figs. ; Dec. 1926).

Kelly, E. G.—The Creosote-Calcium-Cyanide Chinch Bug Barrier. (*Jl. Eco. Ent.*, XIX, 121-123; Feb. 1926).

Kemner, N. A.—Some Termites from Ceylon. (*Bull. Ent. Res.* XVI, 379-392; March 1926). [*Calotermes militaris* ab. *unidentatus*, n., Bogawantalawa, p. 382; *Odontotermes horni* var. *hutchinsoni*, n., Peradeniya; *Avisavella*, p. 384; *O. horni* var. *minor*, n., Rattota; *Avisavella*, p. 385-6; *O. (Hypotermitus) marshalli*, n. sp., *Avisavella*; *Rattota*, p. 387-8; *Eutermes ceyloniellus*, n. sp., *Badulla*, p. 389; *Capritermes hutchinsoni*, n. sp., *Palmadulla*, p. 391-2.]

Kemner, N. A.—Über die Zucht von einer "Larva eutermia" aus Java und das Ausschlüpfen aus derselben der physogastrischen Aleocharide *Affinoptochus excludus*, n. g., n. sp. (*Arkiv f. Zoologi* XVIII, Häfte 2, No. 10, pp. 1-24, tt. 1-3, figs. 4: June 1926).

- Kieffer, J. J.—Neue Chironomiden aus dem Deutschen Entomologischen Institut zu Berlin-Dahlem [Dipt]. (*Ent. Mitteil.*, XV, 103-106; March 1926). [*Olinotanytus ceylanicus*, n. sp., Ceylon: Kanthalai, p. 104-5; *C. variegatus*, n. sp., Ceylon: Matale, p. 105-6.]
- Killaffer, D. H.—Poacetime Uses of 'Poison gas'. (*Sci. American*, 168-169; March 1926).
- King, W. V. and Bradley, G. H.—Airplane Dusting in the Control of Malaria Mosquitoes. (*U. S. Dept. Agric.*, Dept. Circ. 367, 15 pp., 8 ff.; April 1926).
- Kinney, E.—A cytological study of secretory phenomena in the silk gland of *Hyphantria cunea*. (*Biol. Bull. Woods Hole* LI 405-428, tt. 1-3: Dec. 1926).
- Kiritschenko, A. N.—Beiträge zur Kenntnis paläarktischer Hemipteren. (*Konowia*, V, 57-63; June 1926). [*Mormidella corallifera*, n. sp., Kashmir, p. 59-60; Key 60-61.]
- Kleine, R.—Breuthidæ. (*Cat. Ind. Ins.*, pt. II; pp. 50; Calcutta, 1926).
- Klocke, F.—Beiträge zur Anatomie und Histologie der Thysanopteren. (*Zeit. wiss. Zool.* CXXVIII, 1-36, ff. tt. i-iii; July 1926).
- Knowles, R., Napier, L. E. and Smith, R. O. A.—On a *Heiropetomonas* found in the Gut of the Sandfly, *Phlebotomus argentipes*, fed on Kala-azar Patients. (*Ind. Med. Res. Memoirs* No. 4, pp. 113-121, Feb. 1926. Reprint from *Ind. Med. Gaz. Res.*, LIX; Dec. 1924).
- Kopéc, S.—Is the Insect Metamorphosis influenced by Thyroid feeding? (*Biol. Bull. Woods Hole* L, 339-354; April 1926).
- Krafka, J.—The so-called Occipital Suture in the Trichopterous larvæ and in other Orders. (*Ann. Ent. Soc. America* XIX 281-285, t. 22; Sept. 1926).
- Kunhi Kannan, K.—Proof that the larva of *Hyperochia xylocopiformis*, Well., preys upon the larva of *Xylocopa tenuiscapa*; Westw., in South India. (*Proc. Ent. Soc. Lond.* I 1-2; Novem. 1926).

Kuszenov, N. J.—The Morphology of the Copulatory Structures in some cases of Gynandromorphism in Lepidoptera. (*Biol. Bull. Woods Hole* LI 245-256, 10 figs. ; Oct. 1926.)

Kuwana, I.—

The Diaspine Coccidæ of Japan. I. Genera *Poliaspis*, *Ischnaspis* and *Parlatoria*. (*Japan Dept. Agric., Injur. Ins. Series No. 14*, pp. 1-18, tt. 1-3 ; Tokyo ; March 1925).

The Diaspine Coccidæ of Japan. II. The Genus *Lepidosaphes*. (*Japan Impl. Plant Quarant. Techn. Bull. 2*, pp. 42, tt. 1-11 ; Yokohama ; Sept. 1925).

The Diaspine Coccidæ of Japan. III. The Genus *Fiorinia*. (*Japan. Impl. Plant Quarant. Techn. Bull. 3*, pp. 20, tt. 1-7 ; Yokohama ; Dec. 1925).

The Diaspine Coccidæ of Japan. IV. Genera *Cryptoparlatoria*, *Howardia*, *Sasakiaspis*, *Diaspis*, *Aulacaspis*, *Pinnaspis* and *Prontaspis*. (*Japan Impl. Plant Quarant. Techn. Bull. 4*, pp. 44, tt. 1-12 ; Yokohama ; Aug. 1926.)

L

Laake, E. W., Parman, D. C., Bishopp, F. C. and Roark, R. C.—Field Tests with Repellents for the Screw Worm Fly, *Cochliomyia macellaria*, Fabr., upon Domestic Animals. (*Jl. Eco. Ent. XIX*, 536-539 ; June 1926).

Lacroix, J. L.—Note sur deux Insectes Névroptères (*Sensu lato*) (*Bull. Soc. Ent. France* 1926, pp. 170-172, fig. ; Dec. 1926). [*Lyriothemis pachygastra*, Selys, p. 172, abnormal specimen from Tibet : Odonata, Libellulidæ.]

Larson, A. O.—Observations on the characteristic injury caused by the Lima Bean Pod Borer, *Etiaella zinckenella*, Treit., and other Insects with which its injury is confused in California. (*Jl. Ec. Ent. XIX*, 699-702 ; Oct. 1926).

Lawson, P. B.—Some "Biting" Leafhoppers. (*Ann. Ent. Soc. America*, XIX, 73-74 ; March 1926). [*Platymetopius acutus*, Say, *Empoasca mali*, LeB. (*E. fabae*, Harris), *Erythroneura basilaris*, Say, *Phlepsius irroratus*, Say, *Deltocephalus mimicus*, Say, *Draculacephala molhys*, Say, *Euscelis obscurinervis*, Stål, and *Deltocephalus striatus*, Linn., are known to bite.]

Leiby, R. W.—The origin of mixed broods in Polyembryonic Hymenoptera. (*Ann. Ent. Soc. America* XIX 290-299: Sept. 1926).

Lieftinck, M. A.—Odonata Neerlandica. (*Tijd. v. Ent.*, LXIX, 85-226, ff.; July 1926). [Useful keys.]

Lindner, E.—

Die Fliegen der Palaarktischen Region. Pt. 10 and 11. Ephydridæ, pp. 1-115; 1926.

Die Fliegen der palaarktischen Region. Part 12: Fungivoridæ, pp. 1-48, tabs. 1-3; Stuttgart; Novem. 1926. Part 13; Fungivoridæ, pp. 49-96, tabs. 4-6; Stuttgart; Novem. 1926. [Mycetophilidæ.]

Lucas, W. J.—Insect Orders. (*Proc. South Lond. Ent. Nat. Hist. Soc.*, 1925-26, 1-6; 1926).

M

MacGregor, M. E.—Some effects of electric current on Mosquito Development. (*Bull. Ent. Res.* XVI. 315-317; March 1926).

Mahdihassan, S.—Contributions to the scientific study of the Lac Industry. Part XI, Early recognition of sex among Lac Insects. (*Jl. Ind. Inst. Sci.* IX (A), 1-24, tt. I-X; 1926).

Malloch, J. R.—Exotic Muscaridæ XIX (*Ann. Mag. Nat. Hist.* (9) XVIII 496-522; Novem. 1926) [Calliphoridæ. Rhiniinæ, Remarks and Key to genera, pp. 496-498; *Borbororhinia bivittata*, Wlk., p. 498, Selangor, Pahang; *Chlororhinia viridis*, Townsend, p. 498, Fed. Malay States, Australia) var. nov. *fuscobrista*, pp. 498-499, Pahang; *Rhinia*. R. D., remarks, key, pp. 501-502; *R. xanthogaster*, Wied., p. 502, India, Java; *R. testacea*, R. D., p. 504 f. 2a, Ceylon; *Idiella*, B. and B., pp. 501-506, remarks, key; *I. orientalis*, n. sp., pp. 506-507, Tatsienlu, Szechuen, N. China; *I. mandarina*, Wied., pp. 507-508, China, India, Kei Isds.; Tribe Cosminini, pp. 510-512, remarks, key to genera; *Metallea*, Wulp, p. 515, remarks; *Chloroidia*, Townsend, p. 515, characters; *C. prolata*, Wlk., p. 516, India, Perak, remarks; *Cosmina*, R.—D., pp. 516-517, remarks, key; *Thoracites*, B. and B., p. 519, characters; *T. abdominalis*, Fb., p. 519, India, Ceylon, redesc.; *Strongyloneura*, Bigot, pp. 520-521, remarks.]

Mangelsdorf, A. J.—Color and sex in the Indian walking-stick, *Diripus morosus*. (*Psyche* XXXIII 151-155 : Dec. 1926).

Mansion, J.—

La Ponte d'un abdomen isolé de *Senecania mori* L. (*Bull. Soc. Ent. France*, 109-111, May 1926).

Gestes dysharmoniques de la ponte de *Cryptus seductorius* L. (Hym. Ichneu.) (*Bull. Soc. Ent. France*, 122-123 ; May 1926).

Marcovitch, S.—The Control of Poultry Lice and Mites. (*Tennessee Agric. Expt. Sta., Circ.* 2 ; Feb. 1926). [Sodium fluosilicic dust bath Abst. *R. A. E.*, A ; June.]

Marshall, Guy A. K.—On New Curculionidæ from the Oriental Region (Col.) (*Ann. Mag. Nat. Hist.*, (9th S.), XVII, 353-371 ; April 1926): [Subfam. Prionomerinæ : *Ochyromera artocarpæ* n. sp., S. India : Mysore, Shiradi, S. Kanara, p. 353, bred from *Artocarpus integrifolia*, p. 353-4 ; *O. subcruciata* n. sp., S. India : Nilgiri Hills ; Yercaud, Shevaroy Hills, 5,000 ft. p. 354-6 ; *O. posticalis*, n. sp., Burma : Momeit. Assam : Patkai Hills, p. 359-361 ; Key to genus *Ochyromera*, p. 361-2. Subfam. Cioninæ : *Cionus meleagris* n. sp., Madras : Nilgiri Hills, p. 363-4 ; *C. transquamosus*, n. sp., U. P. : Guchhupani, Dehra Dun ; West Almora, Kumaon. Sikkim : Mungphu. Assam : Manipur, p. 364-5 ; *C. championi*, n. sp., U. P. : Western Almora, Kumaon, p. 365-7 ; Key to Indian Spp. of *Cionus*, p. 367-8. Subfam. Cryptorrhynchinæ : *Osseteris sparsus* n. sp., S. India : Nilgiri Hills. p. 369-370 ; *O. basalis*, n. sp., Bengal : Sunderbans.]

Martini, E.—Methoden zur Untersuchung von Mücken als Infektionsträger. (*Handb. biol. Arbeitsmethoden*, Lief. 183. 725-768, ff.; 1925). [Technique of collecting and breeding mosquitoes and infecting them with parasites ; *R. A. E.*, B, XIV, 120 ; July 1926.]

Maulik, S.—Chrysomelidæ (Chrysomelinæ and Halticinæ). (*Fauna Brit. India Series* ; pp. 442, 139 figs., map ; London, Apl. 1926).

McIndoo, N. E.—An Insect Olfactometer. (*Jl. Eco. Ent.*, XIX. 545-571 ; June 1926).

Mello, F. de, and Cabral, J.—Les insectes sont-ils susceptibles de transmettre la lèpre ? (*Bull. Soc. Path. Exotique* XIX 774-777 ; Dec. 1926.)

- Menzel, R.—Ueber Teeschaedlinge in Niederlaendisch-Indien und ihre Bekämpfung. III. *Euphorus helopeltidis*, Ferriere (Hym. Braconidae) als larven-parasit der Tee-Capside, *Helopeltis antonii*, Sign. (*Zeits. angew. Entom.* XII 340-356, 18 figs. ; Novem. 1926).
- Metcalf, Z. P.—A Killing Bottle for Collecting Small Active Insects. (*Ent. News*, XXXVII, 203-204, fig. ; July 1926.)
- Meyrick, E.—Exotic Microlepidoptera, III pt. 9, pp. 257-288 ; Feb'y 1926 : pt. 10, pp. 289-320 ; November 1926.
- Minnich, D. E.—The chemical sensitivity of the tarsi of certain Muscid Flies. (*Biol. Bull. Woods Hole LI*, 166-178 ; Sept. 1926).
- Mooney, H. F.—The Effects of Humidity on Lac. (*Ind. Forester*, LII, 195-196 ; April 1926.)
- Morice, F. D.—A method of making outline drawings from photographs. (*Proc. Ent. Soc. Lond.* I 14 ; Novem. 1926).
- Morishita, K.—Experimental Observations on the Habits of *Culex fatigans* with Special Reference to the Influence of Hydrogen-ion Concentration upon its Development. (*Jl. Med. Soc. Formosa*, No. 247, 37 pp., 1925). [In Japanese with summary in English. Abs. *R. A. E.*, B, XIV, 114-15 ; July 1926.]
- Morison, G. D.—The Khapra Beetle (*Trogoderma granarium*, Everts). (*Proc. R. Phys. Soc. Edinburgh*, XXI, 10-13 ; Nov. 1925). [*R. A. E.*, A., XIV, 371 ; July 1926.]
- Morita, Helene.—Some Observations on the Silverfish, *Lepisma saccharina* (Thys.). (*Proc. Hawaiian Ent. Soc.*, (1925), VI, 271-273 ; July 1926).
- Morstatt, H.—Bibliographie der Pflanzenschutz-literatur. Das Jahr 1925. (Biol. Reichsanstalt für Land-und Forst wirtschaf in Berlin-Dahlem ; Berlin, 1926 ; pp. 228).
- Moser, J.—Beitrag zur Kenntniss der Melolonthiden (Col.) XIV. (*Stett. Ent. Zeitg.* LXXXVII 198-208 ; Nov. 1926). [*Serica* (*Omalacera*) *nigrobrunnea*, n. sp., p. 198, Washan ; *Brahmina tuberculifrons*, n. sp., p. 204, Kulu, Kashmir.]

- Mote, Don C, Wilcox, J., and Davis, E. G.—The natural "cleaning-up" habit of Insects. (*Jl. Ec. Ent.* XIX 745-747; Oct. 1926.)
- Moueller, A.—Über den Bau des Penis der Tachinarien und seinen Wert für die Aufstellung des Stammbaumes und die Artdiagnose. (*Konowia*, V, 72-78, 8 ff., June 1926; pp. 233-246, ff. 9-22, Nov. 1926.)
- Moulton, J. C., and China, W. E.—Fauna Sumatrensis, Cicadidæ. (*Supplem. Entom.* XIV 120-126, figs.; Decem. 1926). [Several Indian spp.].
- Muesebeck, C. F. W.—A new Ichneumon Fly of the genus *Apanteles* from the Death's-head moth, *Acherontia styx*. (*Bombay N. H. Soc. Jl.* XXXI 726-727, tab.; Dec. 1926). [This Braconid was reared at Panchgani, W. Ghats. The name given is a homonym of *A. acherontia*, Cameron.]
- Muir, F.—
 Reconsideration of Some Points in the Morphology of the Head of Homoptera. (*Ann. Ent. Soc. America*, XIX. 67-73, 7 figs.; March 1926).
 Some Remarks on Dr. Hem Singh-Pruthi's Paper on the Morphology of the Male Genitalia in Rhynchota (Hom.). (*Proc. Hawaiian Ent. Soc.*, (1915), VI, 323-334, t. xi; July 1926):
 The Morphology of the Aedeagus in Delphacidæ (Homoptera). (*Trans. Ent. Soc. London* LXXIV 377-380 tt. 77-78; Dec. 1926).
- Müller, A. —Die innere Therapie der Pflanzen. (*Monog. Zur. Angewandten Entomologie*, No. 8; pp. 1-206, 29 figs.; Berlin, 1926).
- Mumford, E. Philpott.—Cotton Stainers and certain other Sapfeeding Insect Pests of the Cotton Plant. A Preliminary Enquiry into the Effect of Climatic and Soil Conditions upon the Incidence of these pests. 1926.

N

- Napier, L. E.—An Epidemiological Consideration of the Transmission of Kala-azar in India. (*Ind. Med. Res. Memoirs* No. 4, 219-265).

Napier, L. E., and Smith, R. O. A.—Further Observations on the Feedings of Sandflies, *Phlebotomus argentipes*, on cases of Kala-azar in Calcutta. (*Ind. Med. Res. Memoirs* No. 4, 147-153; Feb. 1926).

A Study of the Bionomics of *Phlebotomus argentipes*, with special reference to the conditions in Calcutta. (*Ind. Med. Res. Memoirs* No. 4, 161-172, tt. ix-xiv; Feb. 1926).

Nitzulescu, V.—Sur la constitution du canal alimentaire chez les Phlébotomes. (*Bull. Soc. Path. Exotique* XIX 709-714, 5 figs.; Oct. 1926).

Nuttall, G. H. F.—Simple Types of a Museum Case and a Stand for Exhibition of Lantern Slides. (*Parasitology*, XVIII, 62-66, 2 figs., t. v.; Jan. 1926).

O

Obenberger, I.—Junk's Coleopterorum Catalogus, Part 84, Buprestidae I. Berlin: 14 May 1926.

Ochs, Georg.—Die Dinutini, 2. Tribus der Unterfam. Enhydrinae, Fam. Gyrinidae (Col.). A Allgemeiner Teil (*Entom. Zeitschrift Frankfurt am Main* XL, pp. 61-74, 112-126, 129-140, 190-197: 1926).

P

Parman, D. C.—Migrations of the Long-Beaked Butterfly, *Libythea buchmani* Kirtland (Lepid.: Libytheidae). (*Ent. News*. XXXVII, 101-6; April 1926). [Correlation of climatic conditions with flight.]

Parrot, A., and Donatien, A.—Infection naturelle et infection expérimentale de *Phlebotomus papatasi*, Scop., par le parasite du bouton d'Orient. (*Bull. Soc. Path. Exotique* XIX 694-696; Oct. 1926).

Patton, W. S.—The Ethiopian species of the Genus *Musca* Linnaeus. (*Rec. Ind. Mus.*, XXVIII, 29-52, 4 tt.: March 1926). [Keys p. 36-40; descriptions.]

Payne, N. M.—

Landmarks in the History of the study of Insect Hibernation.
(*Ent. News*, XXXVII, 99-101; April 1926).

Freezing and Survival of Insects at Low Temperatures. (*Qryl. Review Biology* I 270-282; April 1926).

Pearse, A. S.—The Ecology of Parasites (*Ecology*, VII, 113-119; April 1926).

Peries, F. D.—Notes on the life-history and habits of the curry-leaf Beetle, *Silana farinosa*, Boh. (*Ceylon Dept. Agric. Year-Book* 1926, pp. 51-54, t. 21: 1926.)

Peterson, A.—An Evaporation Cup useful for chemotropic studies of Insects in the field. (*Jl. Ec. Ent.* XIX 863-866, figs.; Dec. 1926).

Philpott, A.—The Uncus in the Micropterygoidea (Lep.). (*Trans. Ent. Soc. London* LXXIV 371-376, tl. 75-76; Dec. 1926).

Pic, M.—

Junk's Coleopterorum Catalogus, Part 87. Phloeophilidae. Rhadaliidae, Prionoceridae. Berlin: 29 April 1926.

Rhipiceridae. [Junk's *Coleopt. Catal.*, pt. 81; pp. 13; Berlin; May 1925 (received 1 Mar. 1927).]

Hétéromères et Malacodermes nouveaux. (*Bull. Mus. Nat. d'Hist. Nat. Paris* 1926, pp. 211-212: 1926) [*Cantharis davidis* v. nov. *cavaleriei*, p. 211, Kouy-Tchéou.]

Nouveaux Coléoptères exotiques. (*Bull. Soc. Ent. France* 1926, pp. 142-144) [*Cantharis brunneoreducta*, p. 143, Sze-Tschuan (Tibet); *Rhaphuma quinquenotata* var. nov. *atricollis*, p. 143, Madura; *Eoporis differens*, pp. 143-144, Yunnan.]

Pomeroy, A. W. J.—The Relative Importance of Insect Damage as a Factor in inhibiting the Production of Cotton in S. Nigeria. (*Emp. Cotton Grow. Rev.*, III, 36-39; Jan. 1926).

'Pootharl.'—*Helopeltis*. (*Planters' Chron.*, XXI, 525-526; Aug. 1926).

Prenn, F.—*Sympycna padisca*, Br. (Odonata, Lestidae) in Nordtirol. (*Verh. Bot.-bot. Ges. Wien* LXXIV-LXXV 135-140, 6 figs.: 1926.)

Prout, L. B.—

A New Geometrid Moth attacking Deodar in India. (*Bull. Ent. Res.* XVI, 377-378; March 1926). [*Ectropis deodariae*, n. sp., United Provinces: Kathian, Chakrata.]

On a Collection of Geometridæ from Upper Burma made by Captain A. E. Swann. (*Jl. Bombay N. H. Soc.*, XXXI, 129-146, 1 t., May 1926).

On a collection of moths of the family Geometridæ from Upper Burma made by Captain A. E. Swann. (*Bombay N. H. S. Jl.* XXXI 308-322, t. 2; Aug. 1926.)

On a collection of moths of the family Geometridæ from Upper Burma made by Captain A. E. Swann. Part III. (*Bombay N. H. Soc. Jl.* XXXI 780-799: Decem. 1926).

New Geometridæ. (*Novit-Zool.* XXXIII 1-32; Mch. 1926)
[*Euphyia goniodes*, n. sp., pp. 8-9, Chumbi Valley, Kashmir Valley; *Atopophysa indistincta prorimifuscia*, n. subsp., p. 9, Khasis; *Canotephria championi*, n. sp., p. 9, Naini Tal; *Eupithecia rubiginascens*, n. sp., pp. 9-10, Buxa (Bhutan), Sikkim, Khasis; *Heterophleps bicornata*, Warren 1893, p. 11, note; *H. acincta*, n. sp., p. 12, Nagas; *Syzexis* (?) *tessellifimbria*, n. sp., p. 12, Tonglo (10,000 feet); *S. magnidica*, n. sp., pp. 12-13, Khasis; *S. seminans*, n. sp., p. 13, Khasis; *Trichopterigia sphenorrhiza*, n. sp., p. 14, Kashmir; *Ectropis repleta*, n. sp., p. 22, Murree, Dalhousie, Simla; *Medasina firmilinea*, n. sp., p. 23, Shillong; *Semiothisa khasiana vchemensis*, n. subsp., pp. 23-24, Perak, Sumatra; *Anonychia strebla*, n. sp. (= *A. violacea*, Hamp. neo. Mo.), pp. 28-29, Sikkim (10,000-11,000 ft.), Bhutan, Buxa (?); *Plutodes philornis*, n. sp., pp. 29-30, Khasis; *Leucographa* (*Heterostegane*) *subtessellata*, Wlk., p. 32, Bornean form is distinct.]

Pruthi, H. Singh.—A Note on some Species of *Homæocerus* (Hemiptera-Heteroptera, Coreidæ). (*Ann. Mag. Nat. Hist.* (9th s.) XVII, 260-264, figs. ; Feb. 1926).

Pyne, N. M.—The effect of Environment Temperatures upon Insect Freezing Points (*Ecology*, VII, 99-106; Jan. 1926).

R

Rabaud, Et.—Acquisition des habitudes et repères sensoriels chez les Guêpes. (*Bull. Biol. France et Belgique*, LX. 313-333; May 1926).

Ramachandra Rao, Y.—Control of the Coconut Caterpillar (*Nephantis serinopa*) by its Parasites. (*Agric. Jl. India* XXI, 452-459, t. 35, text-fig. ; Nov. 1926).

Ramakrishna Ayyar, T. V.—

Recent additions to the Indo-Ceylonese Coccid Fauna, with notes on known and new forms. (*Bombay N. H. S. Jl.* XXXI, 450-457 ; Aug. 1926).

The Braconid genus *Aphrastobracon*, Ashm. (*Bull. Ent. Res.*, XVII, 91-98, 1 fig. ; July 1926). [*Aphrastobracon maculipennis*, n. sp., S. India ; Devanakonda, Kurnool, Nandyal, Coimbatore, p. 96.]

Rebel, H.—Description of *Saturnia (Caligula) boisduvalii chinensis*, n. subsp. (*Vch. Zool.-bot. Ges. Wien* LXXIV-LXXV (143) : 1926) [From Szechuan, Ta-Tsien-lu, and Tse-kou.]

Richards, O. W.—A note on a Dipterous Parasite of Ladybirds. (*Ent. Month. Mag.*, LXII, 99 ; April 1926.)

Richardson, G. H. and Griffin, E. L.—Modification of Methods for Making Cold-Mixed Oil Emulsions. (*Jl. Eco. Ent.*, XIX, 525-529 ; June 1926).

Riley, N. D.—

On the identity of certain Hesperiidæ (Lep.) described by Latreille. (*Trans. Ent. Soc. London* LXXIV, 231-241 ; Dec. 1926). [Several Indian spp.]

Descriptions of the new Rhopalocera obtained [during a tour of the Kumaon-Tibet Border]. (*Ent. Mo. Mag.* LXII, 277-279, tabs. 2-3 : Dec. 1926). [*Parnassius delphioides kumaonensis*, subsp. nov., p. 277, t. 2, f. 3 ; *Colias ladakensis* male-form *flava*, nov., pp. 277-278, t. 2 f. 4 ; *Polyommatus dux*, n. sp., p. 278, t. 3 v. 4, 5 ; some other butterflies also figured on plates.]

Rodel, P.—Un poisson grand destructeur de larves de moustiques. (*Riviera scient.*, XIII, pp. 17-18, 1926). [*R. A. E., A.*, XIV, 128 ; July 1926.]

Ross, R.—Malaria-control in Ceylon Plantations. (*Jl. Trop. Med. & Hyg.*, XXIX 150-155 ; May 1926).

Rossi, P.—Contribution à l'étude du Phlébotome en Aunis. (*Bull. Soc. Path. Exotique* XIX, 705-709 ; Oct. 1926).

Roubaud, E. and Colas-Belcour, J.—La torpeur hivernale obligatoire et ses manifestations diverses chez nos moustiques indigènes. (*C. R. Acad. Sci. France*, CLXXXII, 871-873 ; 1926).

Roubaud, E.—

L'emploi des poudres larvicides legres dans la lutte contre les moustiques. (*Bull. Soc. Path. Exotique*, XIX, 287-302, April 1926).
 Sur quelques phenomenes peu connus de la vie des moustiques. (*Bull. Soc. Path. Exotique*, XIX, 259-260 ; April 1926).

Roukhadze, N.—L'hibernation des Anophèles et des *Stegomyia* en Abasie (Géorgie maritime). (*Bull. Soc. Path. Exotique*, XIX, 480-487 ; June 1926).

S

Safro, V. I.—Cyanides of Calcium. (*Jl. Eco. Ent.*, XIX, 62-65 ; Feby. 1926).

Sasaki, G.—Notes on *Tachina rustica*, a Fly parasitic on the Silkworm. (*Annot. Zool. Jap.*, XI 71-74 ; March 1926). [*R. A. E.*, A. XIV, 369 ; July 1926.]

Schenkling, S.—Elateridæ I. [*Junk's Coleopt. Catal.* pt. 80 ; pp. 1-263 ; Berlin ; May 1925 (received 1 Mar. 1927).]

Schmidt, E.—Neue Ptilomera-Arten dem Stettiner Museum (Hemipt.-Heteropt.) (*Ent. Mitteil.*, XV, 63-66 ; Jan. 1926). [Hydrometridæ, Gerrinæ, Gerrini : *Ptilomera agriodes*, n. sp., Trichinopoli, p. 63-4 ; *P. lachne*, n. sp., Tranquebar, p. 64-5 ; *P. canace*, n. sp., Ceylon, p. 65.]

Schmidt, M.—Ist der Getreideschmalkäfer ein Vorratsschädling ? (*Mitteil. Gesells. f. Vorratsschutz E. V.*, I, 7-8, fig. : Nov. 1925). [*Oryzaephilus surinamensis*, L.]

Schmitz, H.—A New Termitophilous Phorid from India. (*Ent. Month. Mag.*, LXII, 15-16 ; Jan. 1926). [*Puliciphora termitum*, n. sp.]

Schneider-Orelli, O. and Leuzinger, H.—Untersuchungen über die virgino paren und sexuparen Geflügelten der Blutlaus des Apfelbaumes. (Beiblatt zur Vierteljahrsschrift des Naturforsch. Gesell. in Zurich, LXXI, pp. 1-84, 19 figs, 3 pls.; Mar. 1926). [*Eriosoma mali*.]

Schrader, F. and Hughes-Schrader, S.—Haploidy in *Icerya purchasi*. (*Zeit. Wiss. Zool.*, CXXVIII, 182-200, t. ff., t. viii; July 1926).

Schnurmans Stekhoven, Jr., J. H.—The Blood sucking Arthropods of the Dutch Indian Archipelago. VIII. The Tabanids of the Dutch East Indian Archipelago. (*Treubia*, VI, suppl., 551 pp., 287 ff., 18 tt.; April 1926). [Summary in *R. A. E.*, B. 118; July 1926; giving habitat of new spp.] [General; Keys of subfamilies, genera and spp.; habitats; geographical distribution etc.; the following new spp. from India: *Tabanus avitatus*, n. sp., Belgaum, Bombay Pres. p. 153-4, fig. 66; *Tabanus effilatus*, n. sp., Singapore, p. 154-6, fig. 67, pl. 6, fig. 2; *Tabanus flavimediis*, n. sp., Punjab Distr. Rhud. Pur Camp., p. 215-6, fig. 89; *Tabanus burmanense*, n. sp., Dawna Hills. Lower Burma, Mohyian Burma, p. 245-6, fig. 104; *Tabanus rectilineatus*, n. sp., S. Malabar, p. 246-7, fig. 105; *Tabanus inflatipalpis*, n. sp., Ceylon, Peradeniya, p. 300-1, fig. 136; *Tabanus laticinctus*, n. sp., Punjab, p. 305-6, fig. 138; *Tabanus bombayensis*, n. sp., Bombay, Mahabaleshwar, p. 320-1, fig. 146; *Tabanus imparicallosus*, n. sp., Bombay, Mahabaleshwar, p. 325-6, fig. 150; *Tabanus pallidiventer*, n. sp., Bengal, p. 359-60, fig. 173; *Tabanus flavipus*, n. sp., India, p. 455; *Tabanus griseifacies*, n. sp., India: Sibsagar (Assam). Ceylon, p. 455-6, fig. 225; *Tabanus nocturnus*, n. sp., Madras Presidency, near Kodaikanal, p. 467, fig. 234; *Tabanus latifrons*, n. sp., Nilgiris p. 472, fig. 238. Many spp. redescribed.]

Schwanwitsch, B. N.—On the Modes of Evolution of the Wing-pattern in Nymphalids and certain other Families of the Rhopalocerous Lepidoptera. (*Proc. Zool. Soc. London*, 493-508, tt. i-iii, 1, t. f.; July 1926).

Sen, S. K.—Experiments on the Transmission of Rinderpest by means of Insects. (*Mem. Dep. Agric. India*, IX, 59-185; May 1926).

Senior-White, R.—

A Revision of the sub-family Calliphorinae in the Oriental Region.
(*Rec. Ind. Mus.*, XXVIII, 127-140 ; July 1926). [Keys. *Lucilia albopilosa*, n. sp., Gauhati, North Bihar, Kallar, Ceylon, fig. genitalia, p. 130-131 ; some redesc.]

Physical Factors in Mosquito Ecology. (*Bull. Ent. Res.* XVI. 187-248 ; Jan. 1926).

Sergeant, E. and Parrot, L.—Correspondence *Phlebotomus papatasi* and Oriental Sore. (*Ind. Jl. Med. Res.*, XIII. 749-750 ; Jan. 1926).**Severin, H. C.—The Common Black Cricket, *Gryllus assimilis*, Fab., and its Control.** (*Jl. Eco. Ent.* XIX, 218-227 ; April 1926.)**Shannon, R. C.—Synopsis of the American Calliphoridae (Dip.).** (*Proc. Ent. Soc. Wash.*, XXVIII. 115-139 ; June 1926). [Many useful keys.]**Shelford, V. E.—**

The Relation of the Abundance of Parasites to Weather Conditions.
(*Jl. Eco. Ent.* XIX, 283-289 ; April 1926).

Methods for the Experimental Study of the Relations of Insects to Weather. (*Jl. Eco. Ent.* XIX, 251-261 ; April 1926).

Terms and Concepts in Animal Ecology (*Ecology*, VII, 389 ; July 1926).

Shortt, H. E., and Swaminath, C. S.—Experiments to decide whether the Bed-bug, *Cimex hemiptera*, Fabr., can transmit Kala-azar. (*Ind. Med. Res. Memoirs No. 4*, 105-109 ; Feb. 1926. Reprint from *Ind. Jl. Med. Res.*, XIII ; July 1925).**Shortt, H. E., Barraud, P. J. and Craighead, A. C.—**

Note on a Massive Infection of the Pharynx of *Phlebotomus argentipes* with *Herpetomonas donovani*. (*Ind. Med. Res. Memoirs No. 4*, 157-160, t. viii ; Feb. 1926).

Conorhinus rubrofasciatus, de Geer, and Indian Kala-azar. (*Ind. Jl. Med. Res.*, XIV, 239-242 ; July 1926).

The Life-History and Morphology of *Herpetomonas donovani* in the Sandfly, *Phlebotomus argentipes*. (*Ind. Jl. Med. Res.*, XIII. 947-960, t. XLV-XLIX ; April 1926).

Shortt, H. E., Barraud, P. J. and Craighead, A. C.—*contd*

An Account of Methods employed in Feeding and Refeeding Sand-flies. *Phlebotomus argentipes*, for the second and third time, on man and animals. (*Ind. Jl. Med. Res.*, XIII, 923-942, t. XLIV; April 1926). Note on a Massive Infection of the Pharynx of *Phlebotomus argentipes* with *Herpetomonas donovani*. (*Ind. Jl. Med. Res.*, XIII, 441-444, t. XVI; Jan. 1926.)

Shortt, H. E., Barraud, P. J. and Swaminath, C. S.—Further observations on the Breeding of *Phlebotomus argentipes* in Assam. (*Ind. Jl. Med. Res.*, XIII, 943-946, April 1926).

Shute, P. G.—Intersexual Form of *Ochlerotatus punctor*, Kirby, var. *meigenanus*. (*Entomologist*, LIX, 12-13; Jan. 1926).

Siler, J. F., Hall, M. W. and Hitchens, A. P.—Dengue: Its history, epidemiology, mechanism of transmission, etiology, clinical manifestation, immunity, and prevention. (*Philipp. Jl. Sc.*, XXIX, 1-304, t. I-VIII; Jan.-Feb. 1926). [A very full account; breeding and feeding of mosquitos, etc.].

Silvestri, F. —

Problemi di Entomologia agraria. (*Atti. Soc. Ital. Progress, Scienze*, XIII Riunione, sep. pp. 3-15; Pavia, 1924.)

Etat actuel de la lutte contre la Mouche de l'Olive. (*Sep.*, pp. 48-83, 159-162; no indication of original publication: 1926). [*Dacus oleae*, Fb].

Sinton, J. A.—

Notes on Some Indian Species of the Genus *Phlebotomus* Part XV. *Phlebotomus newsteadi*, n. sp. (*Ind. Jl. Med. Res.*, XIII, 559-564, t. XXX; Jan. 1926).

A Simple Box for Class Demonstration of Mosquitoes and other Small Insects. (*Ind. Jl. Med. Res.*, XIV, 235-238; t. vii; July 1926.)

Smit, B.—Another Sheep Blow-fly Trap. (*Agric. Gaz. New S. Wales* XXXVII 890-895, 3 figs.; Dec. 1926). [Extract from *Jl. Dept. Agric. Union of S. Africa* for Feb. 1926. Details of construction of a trap for Blow-flies].

Smith, H. S.—The fundamental importance of life-history data in biological control work. (*Jl. Ec. Ent.* XIX 708-714; Oct. 1926).

- Smith, K. M.—A Comparative Study of the Feeding Methods of certain Hemiptera and of the Resulting Effects upon the Plant Tissue, with Special Reference to the Potato Plant. (*Ann. App. Biology*, XIII, 109-139, 10 t. f., 4 tt.; Feb. 1926).
- Smith, Roger, C.—House Fumigation with Calcium Cyanide. (*Jl. Eco. Ent.*, XIX, 65-77; Feby. 1926).
- Smith, R. O. A.—A Simple Method for Staining and Mounting of Sandflies. (*Ind. Jl. Med. Res.*, XIV, 171-172. t. iv; July 1926).
- Snapp, O. I.—Airplane Dusting of Peach Orchards. (*Jl. Eco. Ent.*, XIX, 450-459; June 1926).
- Snyder, T. E.—The Biology of the Termite Castes. (*Qrly. Review Biology*, I, 522-552, 15 figs.; Oct. 1926).
- Sokolow, A. J.—Zur Frage der Spermatophorbefruchtung bei der Wanderheuschrecke (*Locusta migratoria* L.). Das Weibchen. (*Zeit. Wiss. Zool.*, CXXVII, 608-18, 4 t. f.; April 1926).
- Spaeth, F.—Fauna Sumatrensis. Cassidinae (Coleoptera). (*Supplem. Entom.* XIV 116-119; Dec. 1926). [Several Indian spp.]
- Spencer, H.—Biology of the Parasites and Hyperparasites of Aphids. (*Ann. Ent. Soc. America*, XIX, 119-153, tt. vii-x; June 1926).
- Stekhoven, J. H. Schuurmans, Jr.—Studies on *Hippobosca maculata*, Leach, and *H. equina*, L., in the Dutch East-Indian Archipelago. (*Parasitology*, XVIII, 35-50, 5 t. f., t. iv, map. 1; Jan. 1926). [Very good account: morphology, Bionomics and control.]
- Strand, A. L.—Preliminary Experiments on the Use of Chlorpiorin as an Insect Fumigant in Flour and Cereal Mills. (*Jl. Eco. Ent.*, XIX, 504-510; June 1926).
- Sturtevant, A. H.—The seminal Receptacles and accessory Glands of the Diptera, with special Reference to the Acalyptern. (*Jl. N. Y. Ent. Soc.*, XXXIV, 1-21, tt. 3; March 1926).

Swezey, O. H.—Mango Weevil—Correction of Name (Col.). (*Proc. Hawaiian Ent. Soc.*, (1915), VI, 293 ; July 1926). [*Cryptorhynchus mangiferae* and not *Sternochaetus* (or *Sternochestus*) *mangifera*, Fab.]

Szilady, Z.—Kritische Bemerkungen über Enderleins Tabanidensystem. (*Zool. Anz.*, LXVI, 325-328 ; April 1926).

T

Tams, W. H. T.—Some hints on the preparation and study of Genitalia (*Ent. Rec.* XXXVIII 145-149. t. 5 ; Nov. 1926).

Thakar, B. J.—Stored Grain Pests in Gujarat. (*Poona Agricul. Coll. Reprint No. 20*, pp. 1-9 ; 1925).

Thery, A.—Recherches synonymiques sur les Bruprestides et descriptions d'espèces nouvelles (1re, 2e partie). (*Bull. Ann. Soc. Ent. Belgique*, LXVI, 33-74, 149-192 ; Feb. April, 1926). *Sambua tristis*, n. sp., N. India, Darjiling, p. 182-3 ; *S. unicus*, n. sp., Khasis, p. 184-5.

Thompson, W. R.—Recherches sur les larves des tachinaires *Sturmia*, *Winthemia*, *Carcelia* et *Erorista*. (*Ann. Paras. hum. & comp.*, IV, 207-227, t. 2 ; July 1926).

Tillyard, R. J.—The Insects of Australia and New Zealand. (Sydney : Angus and Robertson ; November 1926 ; pp. XV & 560, 44, plates, 468 text-figs.). [Although not dealing with Indian Insects this book is of importance to Indian workers on account of the general information and keys to Families, etc.]

Titschack, E.—Untersuchungen über das Wachstum, den Nahrungsverbrauch und die Eierzeugung. II. *Tincola biselliella*, Hum. (*Zeits. Wiss. Zoologie*, CXXVIII, 509-569, 2 figs. ; Oct. 1926).

Townsend, C. H. T.—Methods of Environment Work for Indicating Insect Control Measures (*Ecology* VII, 326-337 ; July 1926).

Turkhud, D. A., Krishnan, K. V. and Seetharama, P. V.—An Investigation of Kala-azar in certain Endemic Areas in Southern India. (*Ind. Jl. Med. Res.*, XIII, 703-747, map ; Jan. 1926).

Turner, R. E.—Notes on Fossorial Hymenoptera. XLI. (*Ann. Mag. Nat. Hist.*, (9th S.), XVII, 104-112; Jan. 1920). [Fam. Sphegidae, subfam. Miscophinae: *Nitela henrici*, n. sp., Ceylon-Colombo, p. 111-2.]

Turner, R. E. and Waterston, J.—On a new Subgenus of *Crabro*. (*Ann. Mag. Nat. Hist.*, (9th S.), XVII, 189-191, figs.; Jan. 1926). [*Hingstoniola*, subgen. n., *Crabro* (*Hingstoniola*) *duplicata*, n. sp., Sikkim: Kalimpong, p. 190-1.]

Tytler, H. C.—

Notes on some new and interesting Butterflies from India and Burma. (*Bombay N. H. S. Jl.*, XXXI, 248-260, 2 tabs.; Aug. 1926).

Notes on some new and interesting Butterflies from India and Burma. (*Bombay N. H. Soc. Jl.*, XXXI, 579-590, tt. 2, 3, 5. Decem. 1926).

U

Uichanco, L. B.—Factors influencing Periodicity in the abundance of certain forms of terrestrial Insect Life in the Philippines. (*Philipp. Agric.*, XV, 403-408; Dec. 1926).

Uvarov, B. P.—

Some Orthoptera from the Russian Far East. (*Ann. Mag. Nat. Hist.*, (9th s.), xvii, 273-291; March 1926). [Key to Asiatic spp of *Atlanticus*.]

Notes on the genus *Oxya*, Serv. (Orth., Acrid.). (*Bull. Ent. Res.*, XVII, 45-48; July 1926).

V

Van Dyke, E. C.—The value of life history studies from the viewpoint of Systematic Entomology. (*Jl. Ec. Ent.*, XIX, 703-707; Oct. 1926).

van Eecke, R.—Lepidopterorum Catalogus, edited by Embrik Strand, Pt. 32, Cochlidionidae (Limacodidae), 1925.

Vayssiere, P.—Contribution à l'étude biologique et systématique des Coccidæ. (*Ann. des Epiphyties*, XII, 197-382 ff. 1-95, tt. 1-6; Dec. 1926).

Verlaine, L.—

L'instinct et l'intelligence chez les Hyménoptères. VI. L'acquisition des habitudes chez les *Vespa germanica* Fab. (*Bull. Ann. Soc. Ent. Belgique*, LXVI, 133-145; Feb. 1926).

Les reines fécondées des Hyménoptères Sociaux peuvent-elles normalement engendrer des mâles. (*Bull. Ann. Soc. Ent. Belg.*, LXVI, 287-318; Oct. 1926).

von Dalla Torre, K. W. and Strand, E.—Lepidopterorum Catalogus, edited by Embrik Strand, Pt. 31, Aegeriidae; Feb. 1926.

von Lengerken, H.—Kopftransplantationen bei Insekten. (*Zool. Anz.*, LXVIII, 171-175; Sep. 1926).

Voss, Eduard.—Die Unterfamilien Attelabinae und Apoderinae. (Col. Curc.) (*Stett. Ent. Zeit.*, LXXXVII, 1-96, tt., map; May 1926). [Keys *Hoplapterus* (*Attelabus*) *gemmatus*, Thunberg, China, India: Bengal, Assam, Burma, p. 37-38; *H. (Attelabus) hystrix*, Fabr., Ceylon, Nepal, Khasi Hills, Darjiling, Naga Hills, Burma, Siam, S. China, p. 39-41; *Paroplapoderus*, n. g., p. 41; *P. breviceps*, n. sp., Sikkim, Nepal, p. 53-54; *P. (Apoderus) bistrispinosus*, Faust, Burma, p. 54-55; *P. armatus*, n. sp., Sikkim, Khasi Hills, p. 55; *P. proximus*, n. sp., Hinter-Indien, p. 56; *P. bituberculatus*, n. sp., Deccan, p. 66-67; *P. tentator*, Faust, (*Apoderus*), Burma, p. 67-68; *Phymatopoderus*, n. g., p. 71; *Ph. elongatipes*, n. sp., Upper Burma: Ruby Mines, 5,000-7,000 ft. p. 72; *Tomaopoderus*, n. g., p. 76; *T. flaviceps*, Desbr., Darjiling, p. 80; *T. cyclops*, Faust. (*Apoderus*), Khasi Hills, Burma, p. 80-81; *T. flavirostris*, n. sp., Khasi Hills, p. 81-82.]

Voss, E.—Die Unterfamilien Attelabinae und Apoderinae. (Col. Curc.). (*Stett. Ent. Zeitg.*, LXXXVII, 141-197; Nov. 1926). [Apoderini, key to genera, p. 141; *Parapoderus*, n. g., p. 142, type: *hamorrhoidalis*, Ol.; Key to spp., pp. 142-152; *P. minutissimus*, Voss 1920, pp. 192-193, redscr., Kulu (7,000 ft.)]

W

Wagner, J.—

Zwei neue paläarktische Floh-Arten. (*Stenoponia conspecta* und *Neopsylla democratica*). (*Konowia*, V, 79-84; June 1926).

Wagner, J.—*contd.*

Zur Frage über den kopfbau der Aphanipteren mit Berücksichtigung ihrer Systematik. (*Zool. Anz.*, LXVII, 289-292 ; July 1926).

Walsh, G. B.—Lead Damaged by Insects. (*Ent. Month. Mag.*, LXII, 59 ; March 1926).

Walton, C. L. and Wright, W. Rees.—Hydrogen-ion concentration and the distribution of *Limnæa truncatula* and *L. peregra*, with a note bearing on Mosquitoes. (*Parasitology*, XVIII, 363-367 ; Dec. 1926). [Mosquito larvæ can tolerate considerable range in Hydrogen-ion concentration.]

Wardle, R. A.—The Respiratory System of Contrasting Types of Crane-fly Larvæ. (*Proc. Zool. Soc. London*, 25-48, 17 t. fig. ; April 1926).

Wardle, R. A. and Taylor, Elizabeth A.—The Cephalic Skeleton of Contrasting Types of Crane-fly Larvæ. (*Proc. Zool. Soc. London*, 1-23 22 t. fig. ; April 1926).

Warren, B. C. S.—Monograph of the tribe Hesperidi (European species) with revised classification of the subfamily Hesperiniæ (Palearctic species) based on the genital armature of the males. (*Trans. Ent. Soc. Lond.*, LXXIV, 1-170, 2 figs., pts. 1-60 ; Novem. 1926). (The account of the morphology of the male genital armature in this group is indispensable to all workers on Indian species).

Warren, W.—Drepanidæ, (in Seitz Lep. Indo-australica. X. July 1924 pt. 257, 481-490, [*Oreta extensa perfusa*, ab. nov., Khasi Hills, Sikkim, Bombay, Ceylon, Burma, p. 484 ; *Oreta carnea nucicolor*, subsp. n., Khasi Hills, Calcutta, p. 484 ; *Psiloreta*, n. g., p. 485 (No. 50) ; *Ps. inconspicua*, n. sp., Masuri, p. 486 ; *Ps. pavaca purpurea*, n. subsp., Khasi Hills, p. 486 ; *Ps. pavaca olivacea*, n. subsp., Khasi Hills, p. 486 ; *Ps. pavaca flavida*, ab. nov., Sikkim, p. 486.]

Waterston, J.—On a New Trichogrammatid (Hym. Chalcidoidea) parasite on the cotton stem-borer (*Sphenoptera* sp.). (*Bull. Ent. Rev.* XVI, 309-313, 2 t. fig. 5 ; March 1926). [*Lathromeris johnstoni*, n. sp., locality British Sudan.]

Weber, H.—Das Problem der Gliederung der Insektenthorax. II and III Mitteilung. (*Zool. Anz.*, LXVI, 9-31, 115-132 6 t. f.; March 1926).

Williams, C. B. —

Further Records of Insect Migration. (*Trans. Ent. Soc. London*, LXXIV, 193-202; Dec. 1926). [*Pyraucis cardui*, *Hypolimnas bolina*, *Papilio machaon*, *Agrotis ypsilon*, *Hemianax ephippiger*, are all Indian.]

Voluntary or involuntary Migration of Butterflies. (*Entom.* LIX, 281-288; Novem. 1926).

Y

Young, T. C. McCombie, Richmond, A. E. and Brendish, G. R.—Sandflies and Sandfly fever in the Peshawar District. (*Ind. Jl. Med. Res.*, XIII, 961-1022, t. I-LIV; April 1926).

Z

Zacher, F.—Züchtung von Orthopteren (Sep. from Abderhalden's *Handb. der biol. Arbeitsmethoden*, pp. 89 190, ff. 18-85: 1925).

PUBLICATIONS OF THE IMPERIAL DEPARTMENT OF AGRICULTURE IN INDIA

TO BE HAD FROM

THE MANAGER, GOVERNMENT OF INDIA CENTRAL PUBLICATION BRANCH, IMPERIAL
SECRETARIAT BUILDING, 3, GOVERNMENT PLACE, WEST, CALCUTTA;

THE OFFICE OF THE AGRICULTURAL ADVISER TO THE GOVERNMENT OF
INDIA, PUSA, BIHAR;

AND

ALL AGENTS FOR SALE OF GOVERNMENT PUBLICATIONS.

A complete list of the publications of the Imperial Department of Agriculture in India can be obtained on application from the above-mentioned.

These publications are:—

1. The *Agricultural Journal of India*. A Journal dealing with subjects connected with agricultural economics, field and garden crops, economic plants and fruits, soils, manures, methods of cultivation, irrigation, climatic conditions, insect pests, fungus diseases, co-operative credit, farm implements, and other agricultural matters in India. Illustrations, including coloured plates, form a prominent feature of the Journal. It is edited by the Agricultural Adviser to the Government of India, and is issued once every two months or six times a year. *Annual Subscription*, Rs. 6 or 6s. 6d., including postage. *Single copy* Rs. 1-5 or 2s.
2. The *Journal of the Central Bureau for Animal Husbandry and Dairying in India*. A quarterly dealing with cattle breeding, dairying, cultivation and storage of fodder crops, animal nutrition, and other aspects of animal husbandry. It is edited by the Agricultural Adviser to the Government of India. *Annual subscription*, Rs. 2-8. *Single copy* Rs. 10.
3. Scientific Reports of the Agricultural Research Institute, Pusa.
4. Annual Review of Agricultural Operations in India.
5. Proceedings of the Board of Agriculture in India.
6. Proceedings of Sectional Meetings of the Board of Agriculture.
7. Memoirs of the Imperial Department of Agriculture in India.
 - (a) Botanical Series.
 - (b) Chemical Series.
 - (c) Entomological Series.
 - (d) Bacteriological Series.
 - (e) Veterinary Series.
8. Bulletins issued by the Agricultural Research Institute, Pusa.
9. Books.

The following are the publications of the last two years:—

Scientific Reports of the Agricultural Research Institute, Pusa (including the Reports of the Imperial Dairy Expert, the Physiological Chemist, Government Sugarcane Expert, and Secretary, Sugar Bureau), for the year 1924-25. Price, Rs. 2-4 or 4s.

Scientific Reports of the Agricultural Research Institute, Pusa (including the Reports of the Imperial Dairy Expert, Physiological Chemist, Government Sugarcane Expert, and Secretary, Sugar Bureau), for the year 1925-26. Price, Rs. 2-8 or 4s. 6d.

Review of Agricultural Operations in India, 1924-25. Price, Rs. 2-2 or 4s.

Review of Agricultural Operations in India, 1925-26. Price, Rs. 2-0 or 4s. 3d.

Proceedings of the Board of Agriculture in India, held at Pusa on 7th December, 1925, and following days (with appendices). Price, Rs. 1-14 or 3s. 3d.

MEMOIRS OF THE DEPARTMENT OF AGRICULTURE IN INDIA

Botanical Series

- Vol. XIV, No. I. A Study of Some Indian Grasses and Grasslands, by W. BURNS, D.Sc., L. B. KULKARNI, M.A.G. and S. R. GODBOLE, D.Sc., B.A. Price, As. 12 or 1s. 3d.
- Vol. XIV, No. II. Studies in Gujarat Cottons, Part III. The Wogad Cotton of Upper Gujarat, Kathiawad and Kutch, by MAGANLAL L. PATEL, M.A.G., and D. P. MANKAD. Price, Rs. 1-4 or 2s. 3d.
- Vol. XIV, No. III. Sugarcane Breeding—Indications of Inheritance, by RAO SAHIB T. S. VENKATRAMAN, B.A. Price, As. 8 or 10d.
- Vol. XIV, No. IV. Studies in Gujarat Cottons, Part IV: Hybrids between Broach-dashi and Gohari varieties of *Gossypium herbaceum*, by M. L. PATEL, M.A.G., and S. J. PATEL, B.A.G. Price, As. 14 or 1s. 6d.
- Vol. XIV, No. V. The Indigenous Cotton Types of Burma, by T. D. STOECK, D.Sc., D.I.C., A.R.C.S. Price, As. 9 or 10d.
- Vol. XIV, No. VI. A Study of *Fusaria* common to Cotton Plants and Cotton Soils in the Central Provinces, by JIWAN SINGH, M.Sc. (*In the press.*)
- Vol. XIV, No. VII. The Kolamba Rice of the North Konkan and its Improvement by Selection, by R. K. BHIDE and S. G. BHALEKAR, B.A.G. Price, Rs. 1-4 or 2s.
- Vol. XIV, No. VIII. *Pennisetum typhoides*: Studies on the Bajri Crop. 1. The Morphology of *Pennisetum typhoides*, by S. V. GODBOLE, M.Sc., B.A.G. Price, As. 12 or 1s. 3d.
- Vol. XV, No. I. Studies in Khandesh Cotton, Part I, by S. H. PRAYAG, M.A.G. (*In the press.*)
- Vol. XV, No. II. The Indian Types of *Lathyrus sativus* L. (Khesari, Lakh, Lang, Teora), by GARRIBLLE L. C. HOWARD, M.A., and K. S. ABDUR RAHMAN KHAN. (*In the press.*)
- Vol. XV, No. III. Fruit-Rot Disease of Cultivated Cucurbitaceae caused by *Phythium aphanidermatum* (Eds.) Fitz., by M. MITRA, M.Sc., F.L.S., and L. S. SUBRAMANIAM, F.L.S. (*In the press.*)
- Vol. XV, No. IV. Colour Inheritance in Rice, by S. K. MITRA, M.Sc., Ph.D., and S. N. GUPTA and P. M. GANOUX. (*In the press.*)
- Vol. XV, No. V. *Asterina* spp. from India determined by Dr. RUTH RYAN and *Meliola* spp. from India and one from Malay determined by Prof. F. L. STEVENS. (*In the press.*)

Chemical Series

- Vol. VIII, No. I. The quality and Yield of Tobacco as influenced by Manurial and other Operations, by J. N. MUKERJI, B.A., D.Sc. Price, As. 8 or 9d.
- Vol. VIII, Nos. II—IV. Investigations on Indian Opium. No. 4.—Further Experiments on the Influence of Manures on the Yield and Morphine Content of the Latex of the Opium Poppy, by HAROLD E. ANNETT, D.Sc., F.I.C., M.S.E.A.C., and HARDAYAL SINGH, B.Sc. No. 5.—Experiments on Oil-content of the Seed of the Opium Poppy; and No. 6.—Studies on the Ash Constituents of Indian Opium, by HAROLD E. ANNETT, D.Sc., F.I.C., M.S.E.A.C., and M. N. BOSE, M.A. Price, As. 8 or 10d.
- Vol. VIII, No. V. Nitrogen Recuperation in the Soils of the Bombay Deccan, Part I, by D. L. SAHASRABUDDHE, M.A.G., M.Sc., and J. A. DAZI, B.A.G., D.Sc. Price, As. 4 or 5d.
- Vol. VIII, No. VI. The Determination of available Phosphoric Acid of Calcareous Soils, by SUBENDRALAL DAS, M.Sc. Price, As. 12 or 1s. 3d.
- Vol. VIII, No. VII. Deterioration of Sugarcane during its Storage by Windrowing, by PHANI BHUSAN SANYAL, M.Sc. Price, As. 6 or 8d.
- Vol. VIII, No. VIII. Drainage Waters of Cawnpore, by H. N. BATHAM, M.A., F.I.C.S. Price, As. 10 or 1s.
- Vol. VIII, No. IX. Nutrients required for Milk Production with Indian Foodstuffs, by F. J. WARTH, M.Sc., LAHEN SINGH, L.A.G., B.Sc. (Ag.), and S. M. HUSAIN, D.Sc. Price, As. 14 or 1s. 6d.
- Vol. VIII, No. X. Silage Experiments at Nagpur, by HAROLD E. ANNETT, D.Sc., F.I.C., M.S.E.A.C., and A. R. PADMANABHA AYYAR, B.A. Price, As. 10 or 1s.
- Vol. VIII, No. XI. Nutrients required for Growth Production with Indian Foodstuffs, by F. J. WARTH, M.Sc., and IZAZ AHMAD, B.Sc. (Ag.). Price, As. 3 or 4d.
- Vol. VIII, No. XII. A Study of Absorption of Moisture by Soils, by J. SEN, M.A., Ph.D., and BHARLAL M. ANTI, B.A. Price, As. 6 or 9d.
- Vol. IX, No. I. The Selection of Burma Beans (*Phaseolus lunatus*) for Low Prussic Acid Content, by J. CHARLTON, M.Sc., F.I.C. Price, As. 10 or 1s.

Chemical Series—contd.

- Vol. IX, No. II. Bangalore Maintenance Experiments, First Series, by F. J. WARTH, M.S.O. Price, As. 11 or 1s. 2d.
- Vol. IX, No. III. Some Digestibility Trials on Indian Feeding Stuffs, II, by P. E. LANDER, M.A., D.Sc., A.L.C., and PANDIT LAL CHAND DHARMANI, L.A.G., B.Sc. (Ag.). Price, As. 10 or 1s.
- Vol. IX, No. IV. The Effect of Manuring a Crop on the Vegetative and Reproductive Capacity of the Seed, by B. VISWA NATH, F.L.C., and M. SURIANARAYANA, B.Sc. Price, As. 14 or 1s. 6d.
- Vol. IX, No. V. Experiments on the Feeding of Sorghum Silage and Concentrate of Scindi Calves, by F. J. WARTH, M.Sc., and SHARI KANT MISRA. Price, As. 9 or 10d.

Entomological Series

- Vol. IX, Nos. I—III. A Contribution towards a Monograph of the Indian Coniopterygids (Neuroptera), by C. L. WILKINSON, Ph.D., M.Sc., D.L.C.; Papers on Indian Tabanids and Some Observations on the Life-history and Habits of *Phycus brunneus*, Wied. (Family Theriidae), by P. V. ISAAC, B.A., M.Sc., D.L.C., F.E.S. Price, Rs. 2-2 or 4s.
- Vol. IX, No. IV. The Red Pumpkin Beetle, *Aulacophora abdominalis*, Fb. (Coleoptera: Chrysomelidae) and its Control; with a short Note on *A. atripennis*, Fb., by M. ARZAL HUSAIN, M.Sc., M.A., and S. ABDULLAH SHAH, L.A.G. Price, Re. 1 or 1s. 6d.
- Vol. IX, No. V. Experiments on the Transmission of Rinderpest by means of Insects, by S. K. SEN, D.Sc., F.E.S. Price, Rs. 2-4 or 4s. 2d.
- Vol. IX, No. VI. Studies on Indian Thysanoptera, by Dr. H. H. KARNY. Price, Re. 1-8 or 2s. 6d.
- Vol. IX, Nos. VII—IX. New Species of Indian Gall Midges (*Ionidiidae*), by Dr. E. P. FELT; New Indian Geometridae, by LEWIS B. PROUT, F.E.S.; Description of *Laspeyresia stirpicola*, n. sp. (Lepidoptera), by E. MEYRICK, F.R.S., with a short Note on the Life-history and Status, by C. S. MISRA, B.A. Price, As. 5 or 6d.
- Vol. X, Nos. I & II. Four New Indian Gall Midges, by Dr. E. P. FELT; The Citrus Psylla (*Diaphorina citri* Kuw.), by M. ARZAL HUSAIN, M.Sc., M.A. Price, Rs. 1-2 or 2s.
- Vol. X, No. III. Braconidae Viploninae of South India, by T. V. RAMAKRISHNA AYYAR, B.A., F.E.S., F.Z.S. (*In the press.*)
- Vol. X, No. IV. Some New Indian Mirids (*Capsidae*), by E. BALLARD, B.A., F.E.S. (*In the press.*)
- Vol. X, No. V. The Use of Hydrocyanic Acid Gas for the Fumigation of American Cotton on import into India. Experiments on its lethal power for the Mexican Boll-weevil (*Anthonomus grandis*) and for the Grain-weevil (*Sitophilus oryzae*); on the extent to which it is absorbed by Cotton and Jute respectively; and on a practical method for satisfactory fumigation on a large scale, by A. JAMES TURNER, M.A., D.Sc., and D. L. SEN, M.Sc., Tech., M.Sc., A.L.C., with a Foreword by B. C. BURT, M.B.E., D.Sc. (*In the press.*)

Bacteriological Series

- Vol. II, No. II. A Bacterial Soft Rot of Garden Poppy, by C. S. RAM AYYAR, B.A. Price As. 5 or 6d.

Veterinary Series

- Vol. III, No. VI. Nasal Granuloma in Cattle, by V. KRISHNAMURTI AYYAR, L.V.S. Price, Re. 1 or 1s. 6d.
- Vol. III, No. VII. Experiments on the treatment of Hookworm infection in Dogs, by AMARNATH GULATI, M.Sc. (Punjab). Price, As. 11 or 1s. 3d.
- Vol. III, Nos. VIII & IX. On the occurrence of a Lung Fluke *Paragonimus edwardsi*, n. sp. in a Palm Civet (*Paradoxurus grayi*) in Kumaon Hills, by AMARNATH GULATI, M.Sc. (Punjab); On the occurrence of *Isospora* and *Balantidium* in Cattle, by H. COOPER, M.R.O.V.S., and AMARNATH GULATI, M.Sc. (Punjab). Price, As. 4 or 6d.
- Vol. IV, No. I. The Chemotherapy of Surra (*Trypanosoma evansi* Infections) of Horses and Cattle in India, by J. T. EDWARDS, D.Sc., M.R.O.V.S. (*In the press.*)
- Vol. IV, No. II. Studies in Bovine Lymphangitis, by V. KRISHNAMURTI AYYAR. (*In the press.*)

Bulletins issued by the Agricultural Research Institute, Pusa

- No. 160. Bot Flies of the Punjab, by H. E. CROSS, M.B.O.V.S., D.V.H., & so. Price, As. 14 or 1s. 6d.
 No. 161. Publications on Indian Entomology, 1924 (compiled by the Imperial Entomologist) Price, As. 8 or 9d.
 No. 162. Tentative Keys to the Orders and Families of Indian Insects, by T. BAINBRIDGE FLETCHER, F.N., F.L.S., F.P.S., F.Z.S. Price, Rs. 1-4 or 2s. 3d.
 No. 163. Loes of Sagar by inversion in Sugar Factories in Northern India and its prevention by Antisepic Measures, by C. M. HUTCHINSON, C.I.E., B.A., and C. S. RAMAIAH, B.A. Price, As. 2 or 3d.
 No. 164. Standard Methods of Analysis of Fertilizers, by J. SEY, M.A., Ph.D. Price, As. 4 or 6d.
 No. 165. List of Publications on Indian Entomology, 1925 (compiled by the Imperial Entomologist, and the Officiating Imperial Entomologist, Pusa). Price, As. 12 or 1s. 3d.
 No. 166. Sampling for Rice Yield in Bihar and Orissa, by J. A. HUBBARD, I.C.S. Price, As. 7 or 9d.
 No. 167. A Scheme of Classification of the Varieties of Rice Found in Burma, by R. A. BEALE. Price, As. 6 or 8d.
 No. 168. List of Publications on Indian Entomology, 1926 (compiled by the Offg. Imperial Entomologist and the Imperial Entomologist). Price, As. 10 or 1s.
 No. 169. The Steam-bleeding Disease of Arccanut (*Areca catechu*) caused by *Thielaviopsis paradoxa* Von Hon., by S. SUNDARARAMAN, M.A., C. KRISHNAN NAYAR and T. S. RAMAKRISHNAN, M.A. (*In the press.*)
 No. 170. Seasonal Variations in the Germ Content of Milk at Pusa, by J. H. WALTON, M.A., M.Sc. (*In the press.*)
 No. 171. The Improvement of Indian Wheat. A Brief Summary of the Investigations carried out at Pusa from 1905 to 1924, including an account of the new Pusa Hybrids, by ALBERT HOWARD, C.I.E., M.A., and GABRIELLE L. C. HOWARD, M.A. (*In the press.*)
 No. 172. The Mechanical Analysis of Tropical Soil, by J. CHARLTON, M.Sc., F.I.C. (*In the press.*)

Books

- Wheat in India, by ALBERT HOWARD, M.A., A.R.C.S., F.I.C., and GABRIELLE L. C. HOWARD, M.A. Price, Rs. 5 or 7s. 6d.
 A Description of the Imperial Bacteriological Laboratory, Muktesar: Its Work and Products, by MAJOR J. D. E. HOLMES, M.A., D.Sc., M.B.O.V.S. Price, As. 8 or 9d.
 Agriculture in India, by JAMES MACKERRA, M.A., I.C.S. Price, As. 4 or 5d.
 Some Diseases of Cattle in India. A Handbook for Stock-owners. Price, As. 8 or 9d.
 Report on the Diseases of Silkworms in India, by A. PRINGLE JARVIS, D.Sc. Price, Rs. 3.

Notice

All new publications are included in the above list and are regularly posted to all on the mailing list as soon as issued. Unless complaints of non-receipt of any publication are received by the Manager, Government of India Central Publication Branch, Imperial Secretariat Building, 3, Government Place, West, Calcutta, within six months of the date of issue, duplicate copies can be supplied only on payment of cost and postage.

